



"Please note that these files may not be up to date. However, the questions will help you understand the exam format and typical question patterns."

www.atmicnetworks.com

Warning: Keep connected with our support team
for latest updates

Question: 1

Which IRL function needs to be manually migrated to ARL?

- A. reset ()
- B. getCurrrrentTask ()
- C. setMainTask(String)
- D. TaskInstance.getTask ()

Answer: D

Question: 2

Why are synchronization connection entries useful?

- A. To keep the connection open to the Decision Center database.
- B. To track the state of the synchronization with Decision Center.
- C. To resolve the conflicts between Rule Designer and Decision Center.
- D. To enable Rule Designer to connect to Decision Center without user sec

Answer: B

Reference:

https://www.ibm.com/support/knowledgecenter/en/SSQP76_8.5.1/com.ibm.odm.dcenter.synchro/topics/tpc_synch_connection_entries.html

Question: 3

Which statement is true regarding the decision service rule project hierarchy?

- A. A standard rule project can be changed to a main rule project when it is reference by other rule projects.
- B. Changing a rule project to a main rule project can affect the deployment and synchronization of the project.
- C. Changing a main rule project to a standard rule project removes the main rule project references to other rule projects.
- D. Changing a rule project from a standard rule project to a main rule project always requires changes to the way rule projects are referenced.

Answer: B

Reference:

https://www.ibm.com/support/knowledgecenter/en/SSQP76_8.6.0/com.ibm.odm.dserver.rules.tutorials/tut_designer_topics/tut_dservice_main.html

Question: 4

A developer needs to build an asynchronous decision service that can process extremely high transaction

volume for a small input request and from an application that is not mission critical.

Which API offers the fastest throughput, sufficient reliability, and least amount of client side development for this decision service?

- A. SOAP/XML web service
- B. REST/JSON web service
- C. Java Message Service (JMS)
- D. Remote interface of an EJB rule session

Answer: D

Question: 5

Which statement regarding decision services is true?

- A. The main rule project can be referenced by a XOM for purposes of exposing methods in rules.
- B. Decision services can be configured through parameters in the properties when rule extractors are used.
- C. The source rule project for the decision operation determines the rules, variables, and dependent projects that are eligible to be included in the rule set.
- D. When a decision service with multiple rule projects is published to Decision Center, standard rule projects are published as source decision service artifacts.

Answer: C

Question: 6

What is needed when executing a decision service by posting a REST request?

- A. ruleset library
- B. ruleset name
- C. XOM JAR file
- D. RuleApp JAR file

Answer: D

Question: 7

How would the following business policy be classified?

The vehicle usage MUST NOT BE Commercial

- A. Calculation
- B. Constraint
- C. Guideline
- D. Inference

Answer: B

Question: 8

How many business rules are captured in the decision table below where the Customer Status and Purchase Amount are condition columns?

Customer Status	Purchase Amount		Discount
	MIN	MAX	
GOLD	0	100	10%
	100	1000	20%
	>1000		25%
SILVER	n	100	5%
	100	1000	10%
	>1000		20%
BRONZE	>100		5%
OTHERWISE	>1000		5%

- A. 4
- B. 6
- C. 7
- D. 8

Answer: A

Question: 9

ODM V8.9.1 is being installed on several nodes in silent mode by using a response file. What needs to be included in the response file during installation?

- A. Sample server port number
- B. IBM Installation Manager home location
- C. Repository path for the sample server installation
- D. Installed WebSphere Application Server home location

Answer: D

Question: 10

Which execution algorithm should be used for a rule task with rule chaining?

- A. RetePlus
- B. Fastpalh
- C. Sequential
- D. Working memory

Answer: A

Reference:

https://www.ibm.com/support/knowledgecenter/en/SSQP76_8.9.0/com.ibm.odm.dserver.rules.designer.run/optimizing_topics/tpc_opt_perfs scalability.html

Question: 11

Which statement is true if a ruleset's XOM is based on an XML schema (.xsd file)?

- A. The RuleApp can only be deployed from Rule Designer.
- B. A managed XOM must be deployed to execute the ruleset.
- C. The XOM can only be deployed by using the Rule Execution Server console.
- D. The XML schema is packaged as a .xom file in the ruleset archive and deployed with the RuleApp.

Answer: D

Reference:

https://www.ibm.com/support/knowledgecenter/mk/SSQP76_8.9.1/com.ibm.odm.dserver.rules.deploying/topics/tpc_res_deploy_options.html

Question: 12

A rule developer needs to write an action rule to apply a 20% discount to customers whose status is GOLD irrespective of the value of their shopping cart or SILVER when the value of their shopping cart is more than \$100. Which two action rules correctly represent this business rule scenario?

- A. if
 the status of the customer is GOLD
 or the status of the customer is SILVER
 and the value of the shopping cart is more than 100 then
 apply a 20% discount
- B. if any of the following conditions is true:
 - the status of the customer is GOLD
 - the status of the customer is SILVER and the value of the shopping cart is more than 100 then apply a 20% discount

C. if any of the following conditions is true:

- the status of the customer is GOLD
- the status of the customer is SILVER
- the value of the shopping cart is more than 100 then
apply a 20% discount

D. if

(the status of the customer is GOLD
or the status of the customer is SILVER)
and the value of the shopping cart is more than 100 then
apply a 20% discount

E. if

the status of the customer is GOLD
and the value of the shopping cart is more than 100
or the status of the customer is SILVER
then JK
apply a 20% discount

A. Exhibit: A B. Exhibit: B C. Exhibit: C D. Exhibit: D E. Exhibit: E

Answer: AE

Question: 13

Which of the following activities can be performed through the RES REST APIs?

- A. Executing a ruleset only
- B. Starting and stopping the RES server
- C. Deploying new artifacts and executing rulesets
- D. Managing deployed artifacts such as ruleapps, XOMs, libraries, and execute rulesets

Answer: D

Reference:

https://www.ibm.com/support/knowledgecenter/en/SSQP76_8.9.2/com.ibm.odm.dserver.rules.res.managing/topics/con_res_restapi_rsrcmng_intro.html

Question: 14

For a request, which object is used for a Java execution of a Rule session?

- A. IlrRequest
- B. rule Request
- C. restAPIRequest
- D. IlrSessionRequest

Answer: D

Question: 15

Ruleset parameters can be defined for a ruleset or decision service, and the parameters can have different directions such as IN, OUT, or IN_OUT. If the decision service being invoked includes all three different types of parameters, which statement is true?

- A. Only the input parameter needs to be provided in the request.
- B. Only the input-output parameter need to be provided in the request.
- C. Both output and input-output parameters need to be provided in the request.
- D. Both input and input-output parameters have to be provided in the request.

Answer: A

Question: 16

GoodCreditLoans is a financial company that wants to create an automated loan approval application. They currently have an application that uses hard-coded logic and manual checks to assess loan applications, generate payment reminders, send marketing emails to potential clients, and create monthly sales reports. The existing application uses these entities: MarketingContact, Equipment, Loan, Reminder, Applicant, SalesReport.

Here are some example rules harvested during rule discovery for the new automated loan approval application:

If the amount of the loan is less than \$10,000,000.00 then the loa

If the amount of the loan is equal to or more than \$10,000,000.00 greater than \$175,000.00 then the loan is accepted

What two entities are needed to write the loan approval business rules? (Choose two.)

- A. Loan
- B. Reminder
- C. Applicant
- D. SalesReport
- E. MarketingContact

Answer: BC

Question: 17

Which rule engine execution mode is designed to optimize a large numbers of objects?

- A. Faslpalh
- B. RetePlus
- C. Sequential
- D. Classic Engine

Answer: B

Reference:

https://www.ibm.com/support/knowledgecenter/en/SSQP76_8.9.0/com.ibm.odm.dserver.rules.designer.run/optimizing_topics/tpc_opt_perfscalability.html

Question: 18

What has to be selected or defined when running a simulation in Decision Center?

- A. JDBC Connection
- B. The Cluster JVM
- C. Output Folder for Result
- D. The Decision Runner server

Answer: C

Question: 19

What is the purpose of a RuleApp?

- A. A RuleApp is a deployable management unit.
- B. A RuleApp is the entry point for clients to access the business logic.
- C. A RuleApp contains a single executable ruleset.
- D. A RuleApp includes all that is needed by a single decision operation.

Answer: A

Reference:

https://www.ibm.com/support/knowledgecenter/SSQP76_8.5.1/com.ibm.odm.dserver.rules.deploying/topics/con_res_ruleapps_def.html

Question: 20

Which statement applies when enforcing security on a project using Decision Center Business console?

- A. Decision Center Enterprise console must be used to grant access permissions to custom groups.
- B. Members of custom groups are restricted by the permissions assigned to that group, regardless of membership in other groups.
- C. When a user belongs to multiple groups and members of custom groups have varying permission levels, the most restrictive permissions apply.
- D. When a user belongs to multiple groups and members of custom groups have varying permission levels, the least restrictive permissions apply.

Answer: B

Question: 21

A large enterprise has multiple decision services from different business units using Decision Center as the source of truth to maintain their rules. Some of these projects have customized Decision Center behaviors in order to meet business user authoring experience requirements.

What are two reasons to use Decision Center in non-production environments in order to minimize interruption to access to Decision Center for this customer?

- A. To test customizations
- B. To test product updates and ifixes
- C. To test the behavior of large decision tables
- D. To develop and encourage POCs away from production
- E. To simulate new complex rule ideas away from production

Answer: AC

Question: 22

A customer has an online and batch processing application. The batch process can be executed multiple times during the day on demand and can overlap the online application. RuleApps and rulesets are the same across online and batch. The batch application also manages big batches with high throughput.

How can this application be architected to address these requirements?

- A. - Use an embedded approach for the online application and batch application to address the high throughput and change the execution units to file persistence to simplify the deployment.
- B. - Separate infrastructure from online to batch, each one configured in a separate cluster.
- Configure a ruleset interceptor to route the workload between online application execution units and batch execution units.
- C. - Configure 2 clusters in the same cell where the online application is running: one cluster for the online application and a second cluster for the batch process.
- Configure the Rule Execution Server console outside of the 2 clusters to share the RuleApps across the online and batch application.
- D. - Use separate infrastructure for online and batch processing.
- Use managed approach with a centralized Rule Execution Server for online.
- Configure a set of J2SE RuleApp clients to run in parallel and distribute the batch workload.
- Change the Rule Execution Server and XU notification mechanism to TCP/IP to use the same deployed RuleApps for both the batch and online application.

Answer: C

Question: 23

In the process of Decision Center configuration, several different security roles are defined for the Decision Center. Which group contains the correct security roles?

- A. user, adminUser, configUser
- B. dcinstalled dcUser, dcAdministrator

- C. rtsUser, rtsAdministrator, rtsConfigManager
- D. resAdministrator, resConfigManager, resInstaller

Answer: C

Reference:

https://www.ibm.com/support/knowledgecenter/en/SSQP76_8.8.1/com.ibm.odm.distrib.config.was/config_dc_websphere/con_was_security_bc.html

Question: 24

Capturing business rules involves which step?

- A. Orchestrating business rules in a ruleflow.
- B. Using ruleset parameters to transfer information.
- C. Representing the business policy as if-then statements.
- D. Packaging business logic in application code as decision service.

Answer: B

Reference:

https://www.ibm.com/support/knowledgecenter/en/SSCTJ4_5.3.1/com.ibm.casemgmt.installing.doc/acmcp043.htm

Question: 25

Which two elements are both mandatory in the ruleset path?

- A. Version
- B. Ruleset name
- C. Branch level
- D. RuleApp name
- E. Rule Project Name

Answer: BD

Reference:

https://www.ibm.com/support/knowledgecenter/en/SSQP76_8.8.1/com.ibm.odm.dserver.rules.res.developing/topics/con_res_devclient_rule_sessions.html

Question: 26

Which one of the proposals is possible using the HTDS REST?

- A. Filter code from the WADL
- B. Inline XSDs files in the WADL
- C. Outline XSDs files in the WADL
- D. Query certain elements in the WADL

Answer: B

Reference:

https://www.ibm.com/support/knowledgecenter/da/SS7J8H/com.ibm.odm.dserver.rules.res.console/topics/tsk_rescons_tds_downld_wsdl_wadl.html

Question: 27

What business rule application requirement would lead a Rule Developer to implement their own UrTraceDAO ,in order to create a custom DAO for storing execution traces?

- A. The business rule application must provide a full log of all the rules that were executed.
- B. The business rule application must provide evidence to auditors of how decisions were made.
- C. The business rule application must provide System Administrators with a way to roll back rule deployments.
- D. The business rule application must provide the business users with data in the format they need for their business reports on how decisions were made .

Answer: D

Question: 28

A rule task in a ruleflow contains multiple rules and all the rules in this task need to be evaluated. Which Exit Criteria should be chosen?

- A. Rule
- B. None
- C. Literal
- D. RuleInstance

Answer: A

Reference:

<https://www.prolifics.com/blog/full-control-flow-odm-ruleflow>

Question: 29

A rule developer is creating a virtual method that will calculate the percentage of a provided value. The method receives 2 parameters: The first parameter is the percentage and second parameter is the value to calculate the percentage from. What is a correct verbalization to accomplish this?

- A. The {1}% of {2}
- B. The {0}%of{1}
- C. The {1}% of {this}
- D. The {0}% of {this}

Answer: C

Question: 30

What is the purpose of the Decision Warehouse?

- A. To store all deployed rulesets
- B. To store all meta data about deployed rulesets
- C. To store execution traces to monitor ruleset execution
- D. To store historical changes made to rule projects so previous versions can be restored

Answer: C

Reference:

https://www.ibm.com/support/knowledgecenter/en/SSQP76_8.7.0/com.ibm.odm.dserver.rules.res.managing/topics/con_res_dw_overview.html

Question: 31

How can the state of a decision service branch be captured in Decision Center at a specific moment in time?

- A. By creating a new release
- B. By creating a snapshot from Business Console
- C. By creating a sub-branch from Business Console
- D. By creating a baseline from Enterprise Console

Answer: B

Reference:

https://www.ibm.com/support/knowledgecenter/en/SSQP76_8.6.0/com.ibm.odm.dcenter.bu.bconsole/tutorials_topics/tut_dcenter_bu_gov_start_lsn.html

Question: 32

A customer needs to calculate sales taxes based on the state of origin for an online pricing solution. The customer identified 15 states in the US that have a different sales tax and also include 2-3 additional types of taxes. Also, these 15 states have different regulations and need to update taxes on a monthly basis.

How can a developer design the rule application to simplify the number of rules and the impact of multiple deployments so that unchanged rules are not duplicated?

- A. - Organize tax rules in a common rule project to address taxes for the states sharing the same logic
 - Create a separate rule project for every state where taxes calculations are unique
 - Override common rules with unique rules from this separate rule project
- B. - Create a rule project for every state to include its own tax rules
 - Package all rule projects into a single RuleApp with multiple rulesets
- C. - Create a rule project with only the rules of one state and use these rules as the only ruleset of a RuleApp
- D. - Create a rule project with a single decision table with all states listed and the tax logic for every state in separate virtual methods from the BOM that can be used in the table.

- Use this rule project as the only ruleset in the RuleApp.

Answer: B

Question: 33

A company wants to use ODM for asynchronous processing with large payloads and very strict performance guidelines. They want to keep data extraction and execution close to reduce any latency effects. They also need ODM to scale as they might want to execute rules from several different applications concurrently. What execution implementation fits these requirements?

- A. A stand-alone POJO session on a single VM.
- B. A custom MDB with a stateful or stateless rule session.
- C. A J2SE rule session to create a tightly coupled application with performance gains.
- D. An HTDS web service and increase the size of the connection pool based on performance testing needs.

Answer: B

Question: 34

How would the following rule be classified?

The total insured value of the vehicle IS DEFINED AS the vehicle base value + Min (the value of vehicle accessories, 40% the vehicle base value)

- A. Inference
- B. Guideline
- C. Constraint
- D. Calculation

Answer: D

Question: 35

Which statement is true of a rule project that has multiple BOM entries referenced and some of them have the same element name?

- A. There cannot be multiple BOM entries referenced to rule projects.
- B. Rule Designer will show the error of having same element name already exists.
- C. If there are several BOM entries, an element in the first BOM entry in the path overrides any other element with the same name in the other BOM entries
- D. If there are several BOM entries with same element name, then the order of runtime appearance has to be set or else it will not allow the project to be saved.

Answer: C

Reference:

https://www.ibm.com/support/knowledgecenter/en/SSQP76_8.8.0/com.ibm.odm.rules.embedded.overview/bom/con_rules_embedded_bom_intro.html

Question: 36

What properly needs to be set in a BOM Configuration file to ignore elements present in the BOM class but missing from the XOM?

- A. ignore.MissingXomElement
- B. update.ignoreDifferences
- C. update.ignoreMissingXomElement
- D. update.ignoreMissingBomElement

Answer: D

Reference:

https://www.ibm.com/support/knowledgecenter/en/SS7J8H/com.ibm.odm.dserver.rules.designer.author/designing_bom_topics/tpc_bom_ignoring_differences.html

Question: 37

Which statement is true when deploying a RuleApp archive?

- A. A managed Java XOM in the RuleApp archive must follow a XOM versioning policy.
- B. Java XOM's must always be included in RuleApp archives to guarantee version compatibility.
- C. Resource and library versioning policies only apply when managed XOM's are present in the RuleApp archive.
- D. RuleApp archives must be configured from the ruleset view first to define the rulesets to be included in the RuleApp archive.

Answer: A

Reference:

Managed Java XOM in the RuleApp archive must follow a XOM versioning policy

Question: 38

An application developer notices that a class in the Java Execution Object Model (XOM) contains a number of methods that should not be imported into the Business Object Model (BOM). How should the application developer annotate the XOM to filter the methods that should not be imported into the BOM?

- A. Add the @NotBusiness annotation.
- B. Add the @BusinessType annotation and specify null as the business type.
- C. Add the @BusinessName annotation and do not specify a value for the annotation.
- D. Add the @Custom Property annotation and set name of the property as import and value as false.

Answer: A

Question: 39

When configuring Decision Server Rules on WebSphere Liberty Profile, which archive needs to be deployed on the application server in order to enable hosted transparent decision services?

- A. DSService war
- B. HdtsService.war
- C. DecisionRunner.war
- D. DecisionService.war

Answer: D

Reference:

ftp://public.dhe.ibm.com/software/websphere/dmanager/PDF/87/odm_distrib_config_wlp_ibmbook.pdf (16)

Question: 40

An application developer has changed the Java XOM. The developer then tries to update the BOM but no differences appear. What are two reasons this could happen? (Select two.)

- A. A member in the Java XOM was deleted.
- B. A member in the Java XOM was annotated as @Deprecated.
- C. Only the content of a method(s) in the Java XOM were changed.
- D. A @NotBusiness annotation was added to a member of the Java XOM.
- E. An additional optional parameter was added to a method(s) in the Java XOM.

Answer: AC

Question: 41

The project owner, Paul, asks a rule author, Bea, to update rules for the Spring release, and asks Adam to review and validate Bea's changes. After Bea finishes her updates, she notifies Adam. Adam is unable to access the project to test the changes. What is the problem?

- A. Paul forgot to assign Adam as a Tester.
- B. Adam has rtsUser permissions, therefore, he cannot test rules.
- C. After Bea finished her updates, she marked the status as Finished, which prevented Adam from testing.
- D. Paul needed to mark Bea's updates to the Spring release as Reviewed so that Adam could see the updates.

Answer: C

Question: 42

Which of the following makes a conflict when merging two branches in Decision Center?

- A. When a snapshot is created in one of the branches
- B. When a new ruleflow is created in one of the branches
- C. When the same decision table is modified in both branches
- D. When an action rule is modified from Rule Designer in one of the branches

Answer: D

Question: 43

Which correctly represents the deployed RuleApp ruleset path template?

- A. RuleApp/RuleApp_major.RuleApp_minor/Ruleset/Ruleset_major.Ruleset_minor
- B. RuleApp/RuleApp_minor.RuleApp_major/Ruleset/Ruleset_minor.Ruleset_major
- C. Ruleset/Ruleset_major.Ruleset_minor/RuleApp/RuleApp_major.RuleApp_minor
- D. Ruleset/Ruleset_minor.Ruleset_major/RuleApp/RuleApp_minor.RuleApp_major

Answer: A

Reference:

<http://www.redbooks.ibm.com/redbooks/pdfs/sg248395.pdf> (137)

Question: 44

A developer is working with a mainframe legacy application. How can they build the execution object model (XOM) with the information from this application?

- A. Import the Cobol copybook.
- B. Extract objects through SQL queries.
- C. Use the Decision Engine API to map Cobol structures.
- D. Use the Rule Designer migration tool to convert the source Cobol copybook.

Answer: A

Reference:

<https://www.redbooks.ibm.com/redpapers/pdfs/redp4997.pdf>

Question: 45

Categories named Vehicle and Customer have been added to a rule project. In the BOM of this rule project, a business element Car has been assigned categories Vehicle and Automobile and a business element Client has been assigned the category Customer. Which category filters need to be assigned to an action rule so that both the Car and Client business element are visible in the rule? Select two.

- A. Any
- B. All
- C. Client
- D. Vehicle and Client
- E. Vehicle and Automobile

Answer: BE

Question: 46

When creating a new metric for simulation in Decision Center, which two types are valid? (Select two.)

- A. Null
- B. Float
- C. String
- D. Domain
- E. Wildcard

Answer: CD

Question: 47

A company wants to use ODM rules for a graphical user interface (GUI) validation. They want to use

rules to validate forms filled out by customers. The rules would validate user input and answers to the questions. The users must have the ability to navigate the website while waiting for the ODM response. What implementation should they use?

- A. Implement a REST rule service in the XML format.
- B. Implement a HTDS rule session to handle the request and response web service call.
- C. Use an EJB rule session to handle changing the state of objects in working memory.
- D. Use an asynchronous ruleset execution and an observer to end the execution or catch an exception on failure.

Answer: D

Question: 48

What is the `IlrJMXRuleAppMBean` API used for?

- A. To manage ruleapp project
- B. To manage ruleset resources
- C. To create, list, and remove RuleApps (name and version)
- D. To create, list, and remove rulesets (name and version)

Answer: C

Question: 49

A company wants to implement a business rules solution for warranty claims on their widgets. The customer requires that servers should not store any information about the context of clients between calls and must have a strict enforcement of objects, rules and constraints. The implementation must support complex operations and synchronous calls. Integration with other services must be platform independent. What implementation best fits the customers requirements?

- A. Use a local EJB rule session.

- B. Implement an MDB with JSON format.
- C. Use an HTDS SOAP web service and JSON format.
- D. Implement a custom SOAP web service and XML format

Answer: C

Question: 50

After a decision service is implemented in the Rule Designer, a developer would like to analyze the rule artifacts in the rule project by creating a query in the file project. Which element can be found by the query?

- A. Function
- B. Rule task
- C. Parameter
- D. XOM class

Answer: C

Question: 51

What are the possible results of running a test suite?

- A. Passed, Failed
- B. Running, Done, Retrying
- C. Active, Complete, Paused
- D. Successful, Failure, Error

Answer: A

Reference:

https://www.ibm.com/support/knowledgecenter/en/SSBLQQ_9.2.0/com.ibm.rational.rit.ref.doc/topics/c_ritref_test_suite_details.html

Question: 52

Which artifact is a supported execution object model (XOM) source?

- A. C# classes
- B. .JS classes
- C. Java classes
- D. TypeScript classes

Answer: C

Question: 53

How can a developer help the business users to author rules in a way that improves performance?

- A. Rewrite complex BAL rules as technical rules.
- B. The way in which rules are written have no impact on performance.
- C. Modify the BOM to remove the {this} placeholder to make the rules less verbose.
- D. Make sure that conditions that test a collection of objects come before simpler conditions, to reduce the number of objects that later conditions in the rule must test.

Answer: D

Question: 54

The screenshot below describes permissions granted to the group "Eligibility"

G Save Permissions | 0 Can re. | View Effective Permissions | 1 ?' Help

you are currently editing the permissions for the group: Eligibility

1	PERMISSION	TYPE	PROPERTY	VALUE
	A * Create	Action Rule	-	Yes
	* * Create		-	No
	A ▼ View	■	-	Yes
	A * Update	Decision Table	■	Yes
	A ▼ view	Smart Folder		Group 5 Results

[New](#) [Edit](#) [Delete](#) |

Which two statements are true about a user in the group "Eligibility"

- A. The user can view Queries.
- B. The user can view Ruleflows.
- C. The user can create Action Rules.
- D. The user can update Action Rules.
- E. The user can create Decision Tables.

Answer: CD

Question: 55

How are objects removed from working memory?

- A. clearObject ()
- B. removeObject()
- C. delete statement
- D. retract statement

Answer: B

Question: 56

Which statement is true about the Business Console Administration tab?

- A. Administration tasks can be done only in Enterprise Console.
- B. Only users with "rtsAdministrator" role have access to this tab.
- C. Only users with "rtsAdministrator" or "rtsInstaller" roles have access to this tab.
- D. Only users with "rtsAdministrator" or "rtsConfigManager" roles have access to this tab.

Answer: B

Reference:

https://www.ibm.com/support/knowledgecenter/en/SSQP76_8.9.1/com.ibm.odm.dcenter.admin/topics/con_admin_users_bc_groups.html

Question: 57

What is the resulting BOM class when the following Java XOM class is imported in the rule project?

```
public interface VehicleTypeClass {  
    public String getMake ();  
    @BusinessType (value="String")  
    public int getModel ();  
    public int getYearf);  
    public void setYearfint year);  
    public void upgrade{VehicleTypeClass vehicle);  
}
```

- A.

```
public interface VehicleTypeClass  
{  
    public readonly abstract string make;  
    public readonly abstract string model;  
    public abstract int year;  
    public void upgrade(VehicleTypeClass arg);  
}
```

B. public interface VehicleTypeClass

```
public abstract string make;
public abstract string model;
public abstract int year;
public void upgrade(VehicleTypeClass arg);
```

C. public interface VehicleTypeClass
{

```
    public readonly abstract string make;
    public readonly abstract string model;
    public abstract int year;
    public readonly void upgrade(VehicleTypeClass arg);
```

D. public interface VehicleTypeClass

```
{
    public readonly abstract string make;
    public readonly abstract int model;
    public abstract int year;
    public readonly void upgrade(VehicleTypeClass arg);
```

- A. Exhibit
- B. Exhibit
- C. Exhibit
- D. Exhibit

Answer: C

Question: 58

What is one migration task a developer needs to perform when migrating a legacy business rules application to the latest version of the product?

- A. Migrate existing TestSuite files.
- B. Migrate the XOM to include business annotations.
- C. Migrate existing B2X code from IRL to supported ARL.
- D. Update existing web service clients from JSON to XML.

Answer: C

Question: 59

When working on rules in both Rule Designer and Decision Center, what is good practice to ensure BOM consistency?

- A. Deprecate obsolete classes and members.
- B. Use the merge feature to align discrepancies.
- C. Delete BOM classes and members in Rule Designer.
- D. Only change arguments in the BOM in Rule Designer.

Answer: A

Question: 60

Which statement describes the primary role of a developer in the discovery and analysis phase of a project?

- A. Developers develop rules to produce an initial ruleset and object model.
- B. Developers do not participate in discovery and analysis tasks.
- C. Developers review the rule design document to confirm that terms used in the rules match the execution object model.
- D. Developers work with business analysts to identify decision points in the business models and document the decision points table.

Answer: D

Question: 61

A decision operation can be defined for a decision service in the Rule Designer. What can be selected in the process of creating a decision operation?

- A. A ruleflow
- B. A target server
- C. A rule engine type
- D. A dynamic domain

Answer: C

Reference:

https://www.ibm.com/support/knowledgecenter/en/SSQP76_8.6.0/com.ibm.odm.dserver.rules.designer.dev/rulesets_topics/con_ds_dev_operations.html
