



"Please note that these files may not be up to date. However, the questions will help you understand the exam format and typical question patterns."

[www.atmicnetworks .com](http://www.atmicnetworks.com)

Warning: Keep connected with our support team
for latest updates

Question: 1

A company is developing a music application based on OSS and ECS, their users can download mp3 files after signing up for the application. Recently, the public network traffic to the OSS has doubled but the increase of registered users is less than 10%. After in-depth analysis, system operators find that many download requests are requested from the external search engine. In this case, which of the following measures is thought to be able to address this issue?

- A. Migrate music files from the OSS to the data disks for ECS instances
- B. Change the website access mode to HTTPS
- C. Enable "Hotlink protection" of OSS and use an HTTP Referer whitelist to prevent unauthorized users from accessing your data
- D. Use SLB for extra protection

Answer: D

Explanation:

You can configure a HTTP Referer whitelist for a bucket to prevent extra fees caused by unauthorized access to the bucket.

<https://www.alibabacloud.com/help/doc-detail/31901.htm>

Question: 2

Which of the following is NOT required for SMC (Server Migration Center) to migrate a server to Alibaba Cloud?

- A. Import the migration source information to the SMC console
- B. From the SMC console, configure the type of disk image to be generated during the migration
- C. The SMC client transfers the source data to an intermediate ECS instance
- D. The SMC backend service generates a target Alibaba Cloud image based on the migration source

Answer: B

Explanation:

<https://www.alibabacloud.com/help/doc-detail/127116.htm>

Question: 3

In Alibaba Cloud, a developer finds that the ECS instance he created does not have public IP assigned. The API method used was "CreateInstance". Which of the following is the most likely reason?

- A. The developer did not call AllocatePublicIpAddress (an additional API call), which is needed to assign a public IP

- B. The CreateSecurityGroup API call was not made
- C. The CreateDisk API call was not made
- D. The ECS was not restarted after being created

Answer: A

Explanation:

<https://www.alibabacloud.com/help/doc-detail/25544.htm>

Question: 4

Which of the following data volume types is not supported by Elastic Container Instance (ECI)?

- A. EmptyDir
- B. NFS
- C. ConfigFile
- D. FixedVolume

Answer: D

Explanation:

FlexVolume is the correct one

<https://www.alibabacloud.com/help/doc-detail/90672.htm>

Question: 5

If you have a Node.js based application and you plan to migrate it to Alibaba Cloud Function Compute, which of the following steps is unnecessary?

- A. Manually install the Node.js in the Function Compute console
- B. Create a single web application and upload the corresponding code package via the Function Compute console (or fcli)
- C. Configure program startup commands and access ports in the Function Compute console
- D. Start and verify the application in the Function Compute console

Answer: A

Explanation:

<https://www.alibabacloud.com/help/doc-detail/73329.htm>

Question: 6

Serverless Workflow allow you to orchestrate distributed tasks in sequence, branch, and parallel modes, and ensure that tasks are reliably coordinated according to your workflow logic. Which of the following service integration modes is not supported by Serverless Workflow?

- A. Request response mode
- B. Synchronization mode
- C. Asynchronous mode
- D. Waiting for callback mode

Answer: C

Explanation:

Asynchronous mode is only possible with the combination of MNS service.

https://static-aliyun-doc.oss-cnhangzhou.aliyuncs.com/download%2Fpdf%2F122479%2FBest_Practices_intl_en-US.pdf

Question: 7

Which of the following steps is NOT mandatory when creating an API through Alibaba Cloud API Gateway?

- A. Define basic API information
- B. Attach a domain name
- C. Define API Request parameters
- D. Define the API backend service

Answer: B

Explanation:

<https://www.alibabacloud.com/help/doc-detail/29478.htm>

Question: 8

A developer accesses logs in a Log Service Logstore via the API. The error code returned by the server is 404. Which of these could be the cause?

- A. The log project (Project) does not exist
- B. The requested digital signature does not match
- C. Server internal error
- D. Server is busy; please try later

Answer: A

Explanation:

Error 404 ProjectNotExist: The error message returned because the specified project does not exist.

<https://www.alibabacloud.com/help/doc-detail/29018.htm>

Question: 9

A developer has written a web application using a microservice architecture,

in such an architecture, the client (web browser or mobile application) first initiates a request. The request first reaches the load balancer, then goes through an authentication service, a billing service, then requests a resource, and finally a result is returned. How many spans does such a call chain consist of?

- A. 3
- B. 4
- C. 5
- D. 6

Answer: C

Explanation:

1-request, 2-load balancer, 3-authentication service, 4-billing service, 5- resource request

Question: 10

You need to log all actions taken by users of your Alibaba Cloud account, whether via the command line tools or the web console. Which Alibaba Cloud product can you use to create a log of user operations?

- A. CloudMonitor
- B. ActionTrail
- C. Cloud Configo
- D. Resource Group

Answer: B

Explanation:

<https://www.alibabacloud.com/help/doc-detail/28804.htm>

Question: 11

How does Cloud Config get permission to gather information about other Alibaba Cloud services?

- A. An Access Key
- B. A RAM Role
- C. By storing a copy of your password
- D. It gets automatic permission to access everything, because it is an Alibaba Cloud service

Answer: B

Explanation:

<https://www.alibabacloud.com/help/doc-detail/156642.htm>

Question: 12

Which of these is NOT a function of CloudMonitor?

- A. Set alarm rules for any of CloudMonitor's metrics

- B. Set the alarm rule effective period (the time during which the alarm may trigger)
- C. Set notification methods for different alarms
- D. Automatically take remedial action when an alarm triggers

Answer: D

Explanation:

<https://www.alibabacloud.com/help/doc-detail/35170.htm>

Question: 13

Which of these log formats is currently supported by Alibaba Cloud's ActionTrail?

- A. XML
- B. HTML
- C. JSON
- D. Markdown

Answer: C

Explanation:

<https://www.alibabacloud.com/help/doc-detail/140850.htm>

Question: 14

Which of the following engines is NOT supported by PolarDB?

- A. Oracle
- B. MongoDB
- C. MySQLo
- D. PostgreSQL

Answer: B

Explanation:

<https://www.alibabacloud.com/help/doc-detail/58764.htm>

Question: 15

Which command is used to get the Docker daemon information?

- A. docker info
- B. docker version
- C. docker pull
- D. docker image

Answer: A

Explanation:

<https://docs.docker.com/engine/reference/commandline/info/>

Question: 16

Which command should you run to create the resources described in the Terraform scripts?

- A. terraform init
- B. terraform plan
- C. terraform destroy
- D. terraform apply

Answer: D

Explanation:

<https://www.terraform.io/docs/cli/commands/apply.html>

Question: 17

Which configuration language does Terraform support?

- A. Python
- B. XML
- C. HCL
- D. YAML

Answer: C

Explanation:

<https://www.terraform.io/docs/language/syntax/configuration.html>

Question: 18

Which database utility is suitable for database migration?

- A. DMS
- B. DBS
- C. DTS
- D. DAS

Answer: C

Explanation:

<https://www.alibabacloud.com/help/doc-detail/176063.htm>

Question: 19

Which database utility is suitable for managing databases in a centralized manner?

- A. DMS
- B. DBS
- C. DTS
- D. DAS

Answer: A

Explanation:

<https://www.alibabacloud.com/help/doc-detail/47550.htm>

Question: 20

Which database utility is suitable for automate perception, healing, optimization, O&M, and security assurance for databases?

- A. DMS
- B. DBS
- C. DTS
- D. DAS

Answer: D

Explanation:

<https://www.alibabacloud.com/help/doc-detail/64851.htm>

Question: 21

Which of the following services is used to establish private network connections between virtual private clouds (VPCs) in different regions, or between VPCs and data centers?

- A. CEN (Cloud Enterprise Network)
- B. Express Connect
- C. VPN Gateway
- D. NAT Gateway

Answer: A

Explanation:

<https://www.alibabacloud.com/help/doc-detail/59870.htm>

Question: 22

Which of the following Alibaba Cloud services offers a software-defined wide area network (SD-WAN) solution based on cloud-native technologies?

- A. NAT Gateway
- B. Smart Access Gateway (SAG)
- C. VPN Gateway
- D. Content Delivery Network (CDN)

Answer: B

Explanation:

<https://www.alibabacloud.com/help/doc-detail/69227.htm>

Question: 23

Your company decided to replicate the whole cloud environment in another region and use it as a cross-region failover in disaster recovery scenarios.

Your current environment includes Elastic Compute Service (ECS) instances, Server Load Balancer (SLB) instances and Relational Database Service (RDS) instances. Which of the following statements is correct?

- A. You can provision multiple ECS instances in multiple regions, thereby leveraging automatic high availability across regions
- B. You can provision multiple SLB instances in multiple regions, thereby leveraging automatic high availability across regions
- C. You can use DNS to resolve domain names to the IP addresses of multiple ECS instances running in different regions
- D. You can use DNS to resolve domain names to the IP addresses of multiple SLB instances running in different regions

Answer: D

Explanation:

<https://cloudacademy.com/course/alibaba-server-load-balancer-1066/alibabas-high-availability/>

Question: 24

After you enable health checks of Server Load Balancer (SLB), when one backend ECS instance is declared as unhealthy, which of the following statements is correct?

- A. Requests are forwarded to other normal ECS instances and the unhealthy ECS instance is shutted down
- B. Requests are forwarded to other normal ECS instances. When the faulty ECS instance becomes normal, SLB forwards requests to the ECS instance again
- C. Requests are not forwarded to the ECS instances and you get back a 400 error
- D. Requests are not forwarded to the ECS instances and you get back a 500 error

Answer: B

Explanation:

<https://www.alibabacloud.com/help/doc-detail/27702.htm>

Question: 25

You are responsible for the system operations of a product and have implemented the cloud infrastructure in the Alibaba Cloud platform. When business loads increase, automatically adds ECS instances to ensure sufficient computing capabilities. When business loads decrease, the same service automatically removes ECS instances to save costs. Which service are you using?

- A. Server Load Balancer (SLB)
- B. Auto Scaling
- C. Resource Orchestration Service (ROS)
- D. Resource Access Management (RAM)

Answer: C

Explanation:

<https://www.alibabacloud.com/help/doc-detail/25857.htm>

Question: 26

Which Alibaba Cloud service is an automated operations and maintenance (O&M) service to execute O&M tasks?

- A. Operation Orchestration Service (OOS)
- B. Maintenance Orchestration Service (MOS)
- C. Resource Orchestration Service (ROS)
- D. Resource Access Management (RAM)

Answer: A

Explanation:

<https://www.alibabacloud.com/help/doc-detail/120556.htm>

Question: 27

Which Alibaba Cloud service is used to manage cloud computing resources including the deployment?

- A. Operation Orchestration Service (OOS)
- B. Maintenance Orchestration Service (MOS)
- C. Resource Orchestration Service (ROS)
- D. Resource Access Management (RAM)

Answer: C

Explanation:

<https://www.alibabacloud.com/help/doc-detail/28852.htm>

Question: 28

_____ is a fully-managed event-driven computing service that allows you to run code in an elastic and reliable way?

- A. Function Compute
- B. Serverless Workflow
- C. Elastic Compute Service (ECS)
- D. Batch Compute

Answer: A

Explanation:

<https://www.alibabacloud.com/help/doc-detail/52895.htm>

Question: 29

Which of the following methods can NOT be used for operating Alibaba Cloud Elastic Compute Service (ECS) instances?

- A. CLI
- B. SDK
- C. Console
- D. CloudFormation

Answer: D

Explanation:

<https://www.alibabacloud.com/help/doc-detail/25422.htm>

Question: 30

Which of the following statements about ECS Snapshot is NOT correct?

- A. You can manually create snapshots
- B. You can create automatic snapshots
- C. You can roll back a disk by using a snapshot
- D. You can create an ECS instance from a snapshot

Answer: D

Explanation:

You can create a custom image from a snapshot that contains the operating system and data of an ECS instance. Then, you can use the custom image to create multiple instances that have identical application environments.

<https://www.alibabacloud.com/help/doc-detail/25391.htm>

Question: 31

A system operator can tag resources for costing and billing purposes.

- A. True
- B. False

Answer: A

Explanation:

<https://www.alibabacloud.com/help/doc-detail/25477.htm>

Question: 32

Alibaba Cloud Log Service allows you to store and search logs from a variety of sources, but has no built-in visualization capabilities.

- A. True
- B. False

Answer: B

Explanation:

<https://www.alibabacloud.com/help/doc-detail/102530.htm>

Question: 33

Alibaba Cloud ActionTrail is a service that monitors and records the actions of your Alibaba Cloud account, including the access to and use of cloud products and services through the Alibaba Cloud console, API operations, and SDKs.

- A. True
- B. False

Answer: A

Explanation:

<https://www.alibabacloud.com/help/doc-detail/28804.htm>

Question: 34

Cloud Config tracks configuration changes of your resources and evaluates configuration compliance.

- A. True
- B. False

Answer: A

Explanation:

<https://www.alibabacloud.com/help/doc-detail/127388.htm>

Question: 35

Tracing Analysis is used to analyze and diagnose performance bottlenecks in a distributed application architecture and make microservice development and diagnostics more efficient.

- A. True
- B. False

Answer: A

Explanation:

<https://www.alibabacloud.com/help/doc-detail/90277.htm>

Question: 36

CloudMonitor is for tracking operations on cloud resources.

- A. True
- C. False

Answer: B

Explanation:

<https://www.alibabacloud.com/help/doc-detail/35170.htm>

Question: 37

Resource Management provides a collection of resource management services that support enterprise IT administration.

- A. True
- B. False

Answer: A

Explanation:

<https://www.alibabacloud.com/help/doc-detail/94475.htm>

Question: 38

ApsaraDB for HBase is a cost-effective cloud-based intelligent SQL service that is of high scalability and compatible with the open source HBase.

- A. True
- B. False

Answer: B

Explanation:

<https://www.alibabacloud.com/help/doc-detail/49501.htm>

Question: 39

PolarDB supports three engines: MySQL, PostgreSQL and Oracle.

- A. True
- B. False

Answer: B

Explanation:

<https://www.alibabacloud.com/help/doc-detail/58764.htm>

Question: 40

RAM supports custom policies.

- A. True
- B. False

Answer: A

Explanation:

<https://www.alibabacloud.com/help/doc-detail/93733.htm>

Question: 41

As the system administrator of a multinational company, you are responsible for the accounts and resources management on the cloud. Which of the following solutions are suitable for your company's IT Governance? (Number of correct answers: 3)

- A. Use role-based SSO for Identities access, use resource directory to manage the resources in shared service account and master account
- B. Use CEN for interconnecting different networks globally, use shared VPC to share services between different organizations
- C. Use Cloud Config and Action Trail for compliance and audit
- D. Use one single VPC for all the resources to have the best performance
- E. Stop using Action Trail and Cloud Config to save the storage cost

Answer: A, B, C

Explanation:

<https://www.alibabacloud.com/solutions/it-governance>

Question: 42

Which of the following web applications are suitable for deployment on Simple Application Server (SAS), as compared with ECS? (Number of correct answers: 3)

- A. Quickly build a personal blog website
- B. Quickly build a small e-commerce website
- C. Quickly build serverless site using Function Compute
- D. Set up a NoSQL database service
- E. Quickly build a personal, learning, or test environment

Answer: A, B, E

Explanation:

<https://www.alibabacloud.com/help/doc-detail/58620.htm>

Question: 43

Which of the following options correctly describes CloudMonitor Custom Monitoring and Custom Events? (Number of correct answers: 2)

- A. Custom Events is used for collection of continuous event type data, queries, and alarms
- B. Custom Events is for periodic and continuous collection of time series monitoring data, queries, and alarms
- C. Custom Monitoring is used for periodic and continuous collection of time series monitoring data, queries, and alarms
- D. Custom Monitoring is used for collection of non-continuous event data, such as information about ECS instance restarts

Answer: A, C

Explanation:

<https://www.alibabacloud.com/help/doc-detail/35170.htm>

Question: 44

In order to deal with sudden spikes in traffic, Company A uses Alibaba Cloud Auto Scaling to set up an alarm trigger task (growing the Scaling Group when the average memory utilization on ECS instances exceeds 80%). During the test, it was found that the alarm task was not executed successfully. Which of these could be possible causes? (Number of correct answers: 3)

- A. The ECS instances in the Scaling Group have not yet installed the CloudMonitor monitoring agent
- B. Before triggering the alarm task, the number of instances in the group has reached the maximum number of instances allowed (MaxSize)
- C. The instance types chosen in the Scaling Configuration are out-of-stock in the Alibaba Cloud Region where the Scaling Group is located
- D. The number of instances in the current group exceeds the “expected number of instances” for the Scaling Group

Answer: A, B, C

Explanation:

<https://www.alibabacloud.com/help/doc-detail/74853.htm>

Question: 45

Which of these services can be used to monitor Alibaba Cloud resources and send alerts? (Number of correct answers: 3)

- A. CloudMonitor
- B. ActionTrail
- C. Cloud Config
- D. Object Storage Service (OSS)

Answer: A, B, C

Explanation:

OSS is an object storage service.

Question: 46

Which of these metrics are collected by CloudMonitor’s Host Monitoring function? (Number of correct answers: 3)

- A. CPU status of the ECS instance
- B. Running processes on the ECS instance
- C. Storage space used by OSS buckets
- D. ECS network I/O

Answer: A, B, D

Explanation:

<https://www.alibabacloud.com/help/doc-detail/35170.htm>

Question: 47

Which of these Alibaba Cloud services are used for security (either credentials management, logging, OR auditing?) (Number of correct answers: 3)

- A. ActionTrail
- B. Log Service
- C. Key Management Service (KMS)
- D. Table store

Answer: A, B, C

Explanation:

<https://www.alibabacloud.com/help/doc-detail/27280.htm>

Question: 48

Alibaba Cloud CloudMonitor is a service that monitors Alibaba Cloud resources and internet applications. Which of the following functions are provided by CloudMonitor? (Number of correct answers: 4)

- A. Site monitoring
- B. Cloud product monitoring
- C. Custom monitoring
- D. Alerts
- E. Custom firewall

Answer: A, B, C, D

Explanation:

<https://www.alibabacloud.com/help/doc-detail/35170.htm>

Question: 49

Which of the following fields should be defined in the Alibaba Cloud Terraform Provider Configuration? (Number of correct answers: 3)

- A. image_id
- B. access_key
- C. secret_key
- D. region

Answer: B, C, D

Explanation:

<https://www.terraform.io/docs/language/providers/requirements.html>

Question: 50

Which of these are important concepts in Terraform's configuration language, HCL? (Number of correct answers: 3)

- A. Provider
- B. Variable
- C. Resource
- D. Service Mesh

Answer: A, B, C

Question: 51

Which of the following descriptions describes the (Security Token Service) STS service correctly? (Number of correct answers: 3)

- A. Through the STS service, RAM users or RAM roles can obtain a temporary token that allows them to call the Alibaba Cloud API or use the web console
- B. A STS request consists of an access address, communication protocol, request method, request parameters and character encoding
- C. When calling the STS API, in order to ensure the safe calling of the API, Alibaba Cloud will authenticate each API request through a signature when each API call is made
- D. The STS service supports the use of both HTTP and HTTPS protocols

Answer: A, B, C

Question: 52

A developer needs to use some sensitive business data and operational data in the process of developing a program, but the data should be protected (encrypted or anonymized) as much as possible. In order to facilitate and secure management of data encryption keys, the developer can use Alibaba Cloud Key Management Service (KMS) envelope encryption technology. Which of these statements is NOT correct, regarding KMS?

- A. Developers can generate a plaintext data key and a ciphertext data key by calling the GenerateDataKey interface.
- B. Envelope encryption is an encryption mechanism similar to digital envelope technology. The technology allows you to store, transfer and use encrypted data by encapsulating their Data Keys (DKs) in an envelope, instead of encrypting/decrypting data directly with Customer Master Keys (CMKs).
- C. The user uses the master key created on KMS to encrypt and decrypt the generated data key.
- D. The master key generated by KMS is also kept by the user.

Answer: A, B, C

Question: 53

Which of the following descriptions of the principles of Alibaba Cloud SSL certificate private key protection is correct?

- A. Alibaba Cloud uses the built-in functionality of the SSL certificate service to encrypt and store the private key to ensure the security of your certificate's private key
- B. The plaintext of Alibaba Cloud's private key is usually stored on disk and backed up regularly
- C. Alibaba Cloud Certificate Service uses symmetric encryption to save the certificate private key.
- D. Alibaba Cloud Certificate Service keys are loaded into memory in plaintext format ONLY when needed.

Answer: D

Question: 54

Which of the following options are correct for Multipart Upload and Resumable Upload in Object Storage Service (OSS)? (Number of correct answers: 3)

- A. Use Multipart Upload to upload multiple parts of a file in parallel to speed up the upload process
- B. Multipart Upload is usually used when the size of the file to be uploaded is large
- C. If the upload fails due to an accident during the uploading of fragments, you need to upload all the fragments again
- D. After an upload is interrupted, the portions of the file which have successfully uploaded prior to the interruption will be saved in the OSS bucket

Answer: A, B, D

Question: 55

A developer is making the ModifyDBInstanceSpec API call to change the specifications of an RDS instance, but the operation fails. Why could this be? (Number of correct answers: 3)

- A. The instance is in the "running" state
- B. No instance type (specification) was included in the request parameters
- C. The instance has a backup task being executed
- D. The targeted RDS instance is a disaster recovery instance

Answer: B, C, D

Question: 56

Which of the following database connection methods does ApsaraDB for Redis support? (Number of correct answers: 2)

- A. DMS (Data Management Service)
- B. Aliyun-cli
- C. Redis-cli
- D. Sentinel

Answer: A, C

Question: 57

When using Alibaba Cloud CDN, a visitor's request will first be routed to a CDN edge node, and in the event of a cache miss at this edge node, the node will fetch data from the origin site (back-to-source request). Even with this redirection, it is possible for the origin site to see the visitor's real IP address. Which of the following statements about obtaining the visitor's real IP address are correct? (Number of correct answers: 2)

- A. A visitor's real IP address can only be obtained by modifying the site or web application.
- B. visitor's real IP address is stored in the "X-Forwarded-For" HTTP header. It can be directly obtained via Apache or NGINX logs.
- C. In Windows, if IIS is used, after installing the "F5XForwardedFor" extension module, the visitor's real IP address can be seen via IIS logs.
- D. You can activate the "record visitor's real IP" function in the Alibaba Cloud CDN console, then you can directly view visitor's IP addresses from the Alibaba Cloud CDN access logs.

Answer: B, C

Question: 58

You can create an event notification rule in Message Service and push notifications to the specified consumer in the form of messages, to receive events from specified Alibaba Cloud resources. Which of the following options are correct statements about the Message Service (MS) service? (Number of correct answers: 2)

- A. Event Notifications can cross regions.
- B. Message Service provides synchronous notification to ensure the consistency between the message acknowledgment and event processing.
- C. The event notification message is retained within the valid time. When you fail to receive an event message, the event notification message is retained based on the specified retry policy.
- D. The consumer type of the event notification message can be HTTP Server, Queue, or Topic.

Answer: C, D

Question: 59

Alibaba Cloud RocketMQ is typically used in scenarios where message publishing and consumption performance requirements are high. Which of the following are supported message types in Alibaba Cloud RocketMQ? (Number of correct answers: 3)

- A. Scheduled message
- B. Ordered message
- C. Batched message
- D. Transactional message
- E. Retried message

Answer: A, B, D

Question: 60

A Developer is creating a Function Compute function. This function requires around 1 GB of temporary storage for files while executing. These files will not be needed after the function is completed for a fixed period. How can this developer MOST efficiently handle the temporary files?

- A. Store the files in Cloud Disk and delete the files when Function Compute function call completes.
- B. Copy the files to NFS and delete the files when the Function Compute function call completes.
- C. Store the files in the /tmp directory on a temporary ECS instance, and delete the files at when the Function Compute function call completes.
- D. Copy the files to an OSS bucket with a lifecycle policy configured to delete the files automatically.

Answer: D

Question: 61

When you use SQL statements to access tables in a database without an index configured, a full table scan will be performed. If a table contains a large amount of data, this kind of scan will access a large amount of data and consume a lot of the database's resources. Which of the following options are best practices when creating database indexes? (Number of correct answers: 3)

- A. Add an index to a field that is frequently queried but does not frequently perform add, delete, or modify operations.
- B. Applies indices to fields to contain many records.
- C. A table should not contain more than 6 indexed fields.
- D. Apply indexing to fields of fixed length (preferably not long fields).
- E. Adhere to the rightmost prefix principle when using composite indexes

Answer: A, C, D

Question: 62

Which of the following features are unique to Alibaba Cloud Container Registry, as compared with Docker Hub? (Number of correct answers: 2)

- A. Container Registry can automatically build new Docker images when source code changes.
- B. For source code hosted on websites outside China, Container Registry can use servers outside China to build Docker images, even when you are using a Container Registry instance in Mainland China.
- C. You can create and delete image repositories in different regions based on your needs.
- D. You can set your image repository access to public or private.

Answer: B, C