



**"Please note that these files may not be up to date. However, the questions will help you understand the exam format and typical question patterns."**

**[www.atmicnetworks.com](http://www.atmicnetworks.com)**

Warning: Keep connected with our support team  
for latest updates

**Question: 1**

DRAG DROP

You need to evaluate the RDS deployment in the Seattle office. The solution must meet the technical requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

### Actions

Create a project in Azure Migrate.

Register the Lakeside tool with Azure Migrate.

Add the Azure Advisor recommendation digest.

Install agents on the virtual machines that have the Pool3 prefix.

Install agents on the virtual machines that have the Pool2 prefix.

Create a Recovery Service vault.

### Answer Area



---

**Answer:**

---

Explanation:

Create a project in Azure Migrate.

Register the Lakeside tool with Azure Migrate.

Install agents on the virtual machines that have the Pool2 prefix.

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/migrate/azure-best-practices/contoso-migration-rds-to-wvd>

## Question: 2

HOTSPOT

You are planning the deployment of Pool4.

What will be the maximum number of users that can connect to Pool4, and how many session hosts are needed to support five concurrent user sessions? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Number of users that can connect to Pool4:

▼
5
7
15
35
70

Number of session hosts to support five concurrent user sessions:

Explanation:

▼
1
2
3
4
5

**Answer:**

Number of users that can connect to Pool4:

▼
5
7
15
35
70

Number of session hosts to support five concurrent user sessions:

▼
1
2
3
4
5

### Question: 3

You plan to implement the FSLogix profile containers for the Seattle office. Which storage account should you use?

- A. storage2
- B. storage4
- C. storage3
- D. storage1

**Answer: A**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/store-fslogix-profile>

#### **Question: 4**

Which role should you assign to Operator2 to meet the technical requirements?

- A. Desktop Virtualization Session Host Operator
- B. Desktop Virtualization Host Pool Contributor
- C. Desktop Virtualization User Session Operator
- D. Desktop Virtualization Contributor

**Answer: B**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/rbac>

#### **Question: 5**

**HOTSPOT**

Which users can create Pool4, and which users can join session hosts to the domain? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Can create Pool4:

Admin2 only
Admin2 and Admin4 only
Admin1, Admin2, and Admin4 only
Admin2, Admin3, and Admin4 only
Admin1, Admin2, Admin3, and Admin4

Can join session hosts to the domain:

Operator1 only
Admin1 and Admin3 only
Operator1 and Admin1 only
Operator1 and Operator3 only
Operator1, Operator2, and Operator3

**Answer:**

Explanation:

Can create Pool4:

Admin2 only
Admin2 and Admin4 only
Admin1, Admin2, and Admin4 only
Admin2, Admin3, and Admin4 only
Admin1, Admin2, Admin3, and Admin4

Can join session hosts to the domain:

Operator1 only
Admin1 and Admin3 only
Operator1 and Admin1 only
Operator1 and Operator3 only
Operator1, Operator2, and Operator3

### Question: 6

You need to configure the device redirection settings. The solution must meet the technical requirements.

Where should you configure the settings?

A. Workspace1

- B. MontrealUsers
- C. Group1
- D. Pool1

**Answer: D**

Explanation:

### Question: 7

You need to configure the virtual machines that have the Pool1 prefix. The solution must meet the technical requirements.

What should you use?

- A. a Windows Virtual Desktop automation task
- B. Virtual machine auto-shutdown
- C. Service Health in Azure Monitor
- D. Azure Automation

**Answer: A**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/logic-apps/create-automation-tasks-azure-resources>

### Question: 8

Which setting should you modify for VNET4 before you can deploy Pool4?

- A. Service endpoints
- B. Address space
- C. DNS servers
- D. Access control (IAM)
- E. Peerings

**Answer: C**

Explanation:

DNS should be configured to use an Active Directory Domain Controller.

## Question: 9

Which three PowerShell modules should you install on Server1 to meet the technical requirements? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Pester
- B. RemoteDesktop
- C. ServerManager
- D. ActiveDirectory
- E. Hyper-V

**Answer: ADE**

Explanation:

Contoso identifies the following technical requirements:

From a server named Server1, convert the user profile disks to the FSLogix profile containers.

The PowerShell modules for Hyper-V, Active Directory, and Pester are prerequisites to running the cmdlets to convert user profile disks to FSLogix.

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/migrate/azure-best-practices/contoso-migration-rds-to-wvd>

## Topic 2, Litware, Inc

### Case study

#### Overview

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is

provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review YOUR answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

### To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

## Overview

Litware, Inc. is a pharmaceutical company that has a main office in Boston, United States, and a remote office in Chennai, India.

### Existing Environment. Identity Environment

The network contains an on-premises Active Directory domain named litware.com that syncs to an Azure Active Directory (Azure AD) tenant named litware.com.

The Azure AD tenant contains the users shown in the following table.

Name	Description
Admin1	A directory-synced user that is a local administrator on all the computers joined to the on-premises Active Directory domain.
CloudAdmin1	A cloud-only user that is assigned the Global administrator role.

All users are registered for Azure Multi-Factor Authentication (MFA).

### Existing Environment. Cloud Services

Litware has a Microsoft 365 E5 subscription associated to the Azure AD tenant. All users are assigned Microsoft 365 Enterprise E5 licenses.

Litware has an Azure subscription associated to the Azure AD tenant. The subscription contains the resources shown in the following table.

Name	Type	Location	Configuration
storage1	Storage account	East US	Storage (general purpose v1), Locally-redundant storage (LRS).
VM1	Virtual machine	East US	Joined to the on-premises Active Directory domain.

Litware uses custom virtual machine images and custom scripts to automatically provision Azure virtual machines and join the virtual machines to the on-premises Active Directory domain.

#### **Network and DNS**

The offices connect to each other by using a WAN link. Each office connects directly to the internet.

All DNS queries for internet hosts are resolved by using DNS servers in the Boston office, which point to root servers on the internet. The Chennai office has caching-only DNS servers that forward queries to the DNS servers in the Boston office.

#### **Requirements. Planned Changes**

Litware plans to implement the following changes:

- Deploy Windows Virtual Desktop environments to the East US Azure region for the users in the Boston office and to the South India Azure region for the users in the Chennai office.
- Implement FSLogix profile containers.
- Optimize the custom virtual machine images for the Windows Virtual Desktop session hosts.
- Use PowerShell to automate the addition of virtual machines to the Windows Virtual Desktop host pools.

#### **Requirements. Performance Requirements**

Litware identifies the following performance requirements:

- Minimize network latency of the Windows Virtual Desktop connections from the Boston and Chennai offices.
- Minimize latency of the Windows Virtual Desktop host authentication in each Azure region.
- Minimize how long it takes to sign in to the Windows Virtual Desktop session hosts.

#### **Requirements. Authentication Requirements**

Litware identifies the following authentication requirements:

- Enforce Azure MFA when accessing Windows Virtual Desktop apps.
- Force users to reauthenticate if their Windows Virtual Desktop session lasts more than eight hours.

#### **Requirements. Security Requirements**

Litware identifies the following security requirements:

Explicitly allow traffic between the Windows Virtual Desktop session hosts and Microsoft 365.

Explicitly allow traffic between the Windows Virtual Desktop session hosts and the Windows Virtual Desktop infrastructure.

Use built-in groups for delegation.

Delegate the management of app groups to CloudAdmin1, including the ability to publish app groups to users and user groups.

Grant Admin1 permissions to manage workspaces, including listing which apps are assigned to the app groups.

Minimize administrative effort to manage network security.

Use the principle of least privilege.

#### **Requirements. Deployment Requirements**

Litware identifies the following deployment requirements:

Use PowerShell to generate the token used to add the virtual machines as session hosts to a **Windows Virtual Desktop host pool**.

Minimize how long it takes to provision the Windows Virtual Desktop session hosts based on the **custom virtual machine images**.

Whenever possible, preinstall agents and apps in the custom virtual machine images.

### **Question: 10**

You need to recommend an authentication solution that meets the performance requirements.

Which two actions should you include in the recommendation? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Join all the session hosts to Azure AD.
- B. In each Azure region that will contain the Windows Virtual Desktop session hosts, create an Azure Active Directory Domain Service (Azure AD DS) managed domain.
- C. Deploy domain controllers for the on-premises Active Directory domain on Azure virtual machines.
- D. Deploy read-only domain controllers (RODCs) on Azure virtual machines.
- E. In each Azure region that will contain the Windows Virtual Desktop session hosts, create an Active Directory site.

**Answer: AC**

Explanation:

<https://www.compete366.com/blog-posts/how-to-implement-azure-windows-virtual-desktop-wvd/>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-host-pools-azure-marketplace>

## Question: 11

DRAG DROP

You need to ensure that you can implement user profile shares for the Boston office users. The solution must meet the user profile requirements.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

### Actions

Create a file share and configure share permissions.

Sign in to VM1 as Admin1.

Run the `Join-AzStorageAccountForAuth` cmdlet.

Sign in to VM1 as CloudAdmin1.

Install the `AzFilesHybrid` PowerShell module.

### Answer Area



**Answer:**

Explanation:

Sign in to VM1 as CloudAdmin1.

Create a file share and configure share permissions.

Install the `AzFilesHybrid` PowerShell module.

Run the `Join-AzStorageAccountForAuth` cmdlet.

Reference:

<https://www.christiaanbrinkhoff.com/2020/03/01/learn-here-how-to-configure-azure-files-with-active-directory-ad-authentication-for-fslogix-profile-container-and-msix-app-attach/>

## Question: 12

Which two roles should you assign to Admin2 to meet the security requirements? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Desktop Virtualization Host Pool Contributor
- B. Desktop Virtualization Application Group Contributor
- C. Desktop Virtualization Workspace Contributor
- D. Desktop Virtualization Application Group Reader
- E. User Access Administrator

**Answer: B, D**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/rbac>

### Question: 13

You need to configure the user settings of Admin1 to meet the user profile requirements. What should you do?

- A. Modify the membership of the FSLogix ODFC Exclude List group.
- B. Modify the membership of the FSLogix Profile Exclude List group.
- C. Modify the HKLM\SOFTWARE\FSLogix\Profiles registry settings.
- D. Modify the HKLM\SOFTWARE\FSLogix\ODFC registry settings.

**Answer: B**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/fslogix/overview>

<https://docs.microsoft.com/en-us/fslogix/configure-profile-container-tutorial#set-up-include-and-exclude-usergroups>

### Question: 14

You need to ensure the resiliency of the user profiles for the Boston office users. The solution must meet the user performance requirements.

What should you do?

- A. Modify the Account kind setting of storage1.
- B. Modify the replication settings of storage1.
- C. Implement Azure Site Recovery.
- D. Configure Cloud Cache.

**Answer: D**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/example-scenario/wvd/windows-virtual-desktop-fslogix>

### Question: 15

You need to implement network security to meet the security requirements and the performance requirements.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Deploy two Azure Firewall instances and Azure Firewall Manager.
- B. Filter traffic by using outbound rules.
- C. Filter traffic by using infrastructure rules.
- D. Filter traffic by using inbound rules.
- E. Deploy a network security group (NSG) and two application security groups.
- F. Deploy an Azure Firewall instance and Azure Firewall Manager.

**Answer: A, E**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/firewall/protect-windows-virtual-desktop>

### Question: 16

You need to modify the custom virtual machine images to meet the deployment requirements.

What should you install?

- A. the RSAT: Remote Desktop Services Tools optional feature
- B. the Azure Virtual Desktop Agent
- C. the Microsoft Monitoring Agent
- D. the FSLogix agent

**Answer: D**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/set-up-customize-master-image>

## Question: 17

HOTSPOT

You need to recommend a DNS infrastructure that meet the performance requirements. What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

For internet name resolution modify the

DNS resolvers in the Boston office to use the ISP's DNS servers as forwarders  
DNS resolvers in the Chennai office to use the ISP's DNS servers as forwarders

To validate the round-trip time to Azure Virtual Desktop, use:

Virtual Desktop Optimization Tool  
Azure Virtual Desktop Experience Estimator  
[Connection troubleshooting in Azure Network Watcher](#)

**Answer**

Explanation:

Answer Area

For internet name resolution, modify the DNS resolvers in the Chennai office to use the ISP's DNS servers as forwarders

To validate the round-trip time to Azure Virtual Desktop, use: Azure Virtual Desktop Experience Estimator

## Question: 18

You need to deploy the session hosts to meet the deployment requirements Which PowerShell cmdlet should you run first?

- A. New-AzwvdRegistrationInfo
- B. Get-AzApiManagementSsoToken
- C. Set-AzWMADDomainExtension
- D. Update-AZwvdSessionHost

**Answer: A**

Explanation: Reference:

<https://rozemuller.com/avd-automation-cocktail-avd-automated-with-powershell/>

### Question: 19


#### HOTSPOT

You need to configure a conditional access policy to meet the authentication requirements.

What should you include in the policy configuration? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Answer Area




Azure Virtual Desktop  
Azure Virtual Desktop Azure Resource Manager Provider  
Azure Virtual Desktop Client

Persistent browser session  
Sign-in frequency  
Use app enforced restrictions


**Answer:**

Explanation:

Set Cloud apps or actions to include:



Set Session controls to include:



### Topic 3, Northwind Traders

#### Overview

Northwind Traders is a manufacturing company based in New York City.

#### Existing Environment

#### Identity Environment

The on-premises network contains an Active Directory Domain Services (AD DS) domain named northwindtraders.com.

Northwind Traders has a Microsoft Entra tenant and a Microsoft Entra Domain Services managed domain. The northwindtraders.com domain syncs with the Microsoft Entra tenant.

### Virtual Machines

The company has an on-premises Hyper-V virtual machine named VM1 that has the following configurations:

- Generation: 1
- Disk size: 2 TB
- Disk format: VHDX
- Disk type: Dynamically expanding

### Cloud Services

Northwind Traders has a Microsoft 365 E5 subscription. The subscription contains 500 users that are assigned Microsoft 365 E5 licenses.

The company has an Azure subscription that contains the resources shown in the following table.

Name	Type	Location	Configuration
storage1	Storage account	East US	Contains an Azure Files share named share1
VNet1	Virtual network	East US	<i>Not applicable</i>

Both subscriptions are linked to the Microsoft Entra tenant.

### Requirements

#### Planned Changes

Northwind Traders identifies the following planned changes:

- Deploy an Azure Virtual Desktop host pool that will contain 10 session hosts joined to the Microsoft Entra Domain Services managed domain.
- Configure VM1 as the source image for the Azure Virtual Desktop deployment and upload the image to Azure.
- The Azure Virtual Desktop deployment will provide access to a custom app named App1.

#### Performance Requirements

Northwind Traders identifies the following performance requirements:

- Each Azure Virtual Desktop session host must support 15 user sessions.
- Each new user session must be assigned to a single session host until the maximum session limit is reached for that host.

#### Application Requirements

Northwind Traders identifies the following application requirements:

- Microsoft OneDrive must launch when users connect to a RemoteApp session in Azure Virtual Desktop.
- App1 requires a desktop resolution of 1280 x 1024.
- Administrative effort must be minimized.

#### Disaster Recovery Requirements

Northwind Traders identifies the following disaster recovery requirements for the Azure Virtual Desktop deployment:

- Minimize outages if an Azure region fails.
- Minimize the recovery time objective (RTO).
- Minimize administrative effort in the event of a failover.

#### Security Requirements

Northwind Traders identifies the following security requirements:

- When users sign in to the Azure Virtual Desktop deployment by using the Azure Virtual Desktop client they must authenticate by using their Microsoft Entra username and password only.
- When users sign in to the Azure Virtual Desktop deployment by using a web browser, they must authenticate by using the Microsoft Authenticator app.
- All the Azure Virtual Desktop session hosts deployed by using the VM1 source image must be onboarded to Microsoft Defender for Endpoint.
- The client version and operating system used to connect to the session hosts must be logged.
- The solution must follow the principle of least privilege.

### Networking Requirements

The Azure Virtual Desktop session hosts must be able to access the resources on the on-premises network.

Northwind Traders identifies the following user profile requirements:

- Users must be able to access share1 by using their Microsoft Entra account.
- Azure Virtual Desktop user profiles must be managed by using FSLogix.
- All user profiles must be stored in share1.

## Question: 20

### HOTSPOT

You need to create a Conditional Access policy to meet the security requirements.

How should you configure the policy? To answer, select the appropriate options in the answer area.

Answer Area

Target resources: iRwcesiforfrier^

Authentication context

Resources (formerly cloud apps) User actions

Conditions: Client apps

Client apps

Sign-in risk

User risk

Access control: Grant: Require authentication strength

Grant: Require approved client app

Grant: Require authentication strength

Session: Require token protections for stgn-in sessions (Preview)

Session: Use Global Secure Access security profile

**Answer:**

### Explanation:

Answer Area

Target resources: Resources (formerly cloud apps)

Conditions: Client apps

Access control: Grant: Require authentication strength

**Question: 21**

Which monitoring solution should you configure to meet the security requirements?

- A. VM insights
- B. Azure Virtual Desktop Insights
- C. Application Insights
- D. Azure Monitor activity log insights

**Answer: B**

Explanation:

**Question: 22**

DRAG DROP

Which host pool design and which service should you configure to meet the disaster recovery requirements? To answer, drag the appropriate solution to the correct requirements. Each solution may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

NOTE: Each correct selection is worth one point.

Answer Area

Azure File Sync
Azure Front Door
FSLogix Cloud Cache
One host pool that contains session hosts in both the East US Azure region and the West US Azure region
Two host pools that each contains session hosts in the East US Azure region
One host pool that contains session hosts in the East US Azure region and one host pool that contains session hosts in the West US Azure region

Design:

--

Service:

--

**Answer:**

Explanation:

Answer Area

Azure File Sync
Azure Front Door
FSLogix Cloud Cache
One host pool that contains session hosts in both the East US Azure region and the West US Azure region
Two host pools that each contains session hosts in the East US Azure region
One host pool that contains session hosts in the East US Azure region and one host pool that contains session hosts in the West US Azure region

Design:

One host pool that contains session hosts in the East US Azure region and one host pool that contains session hosts in the West US Azure region
---

Service:

FSLogix Cloud Cache
---------------------

**Question: 23**

You need to prepare the disk on VM1 for use with the Azure Virtual Desktop deployment. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Convert the disk format to VHD.
- B. Merge the disk.
- C. Convert the disk type to Fixed size.
- D. Compact the disk.
- E. Convert the disk type to Differencing.

**Answer: A, C**

Explanation:

## Question: 24

### HOTSPOT

What should you do to meet the application requirements? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Install the OneDrive sync app on the: Session hosts only

Client devices only

**Session hosts only**

Client devices and session hosts

To support OneDrive in a remote session, configure the Session hosts only \_\_\_\_\_ OneDrive registry values on the: Client devices only \_\_\_\_\_

**Session hosts only**

Client devices and session hosts


**Answer:**

Explanation:

Answer Area

Install the OneDrive sync app on the: Session hosts only

To support OneDrive in a remote session, configure the \_\_\_\_\_ OneDrive registry values on the: Session hosts only



## Question: 25

What should you do to meet the user profile requirements?

- A. Create a new Azure Blob Storage account.
- B. Join storage1 to the AD DS domain.
- C. Create a new Azure Files share.
- D. Join storage1 to the Microsoft Entra Domain Services managed domain.

**Answer: C**

Explanation:

## Question: 26

Which settings should you configure to meet the performance requirements?

- A. Load balancing for each session host
- B. Scaling plan for the host pool
- C. Properties for each session host
- D. Properties for the host pool

**Answer: D**

Explanation:

### Question: 27

#### HOTSPOT

Which type of host pool and load balancing algorithm should you configure to meet the performance requirements? To answer, select the appropriate options in The answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Host pool type:  pooled  
 Automatic  
 Direct  
 Personal

Load balancing algorithm type |  Breadth first  
 Automatic  
 Depth-first

**Answer:**

Explanation:

Answer Area

Host pool type:

Load balancing algorithm type:

### Question: 28

What should you do to ensure that the session hosts meet the application requirements for App1?

- A. Modify the Display settings for the host pool.
- B. Modify the Connection information settings for the host pool.
- C. Modify the Session behavior settings for the host pool.
- D. Assign a scaling plan to the host pool.

**Answer: C**

Explanation:

### Question: 29

Which two actions should you perform to meet the security requirements for Defender for Endpoint? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Create an app attach image for the Azure Virtual Desktop deployment.
- B. Use a Group Policy Object (GPO) to run an onboarding script from a shared location.
- C. Add a Defender for Endpoint onboarding script to VM1 and run the script at first startup.
- D. Run a Defender for Endpoint onboarding script on VM1 before generalizing the VM1 source image.

**Answer: B, D**

Explanation:

### Question: 30

What should you configure to meet the networking requirements?

- A. an on-premises data gateway
- B. the Networking settings for the host pool
- C. a Site-to-Site (S2S) VPN connection
- D. a Point-to-Site (P2S) VPN connection

**Answer: B**

Explanation:

#### Topic 4, Misc. Questions

### Question: 31

HOTSPOT

You have a Windows Virtual Desktop deployment.

Many users have iOS devices that have the Remote Desktop Mobile app installed.

You need to ensure that the users can connect to the feed URL by using email discovery instead of entering the feed URL manually.

How should you configure the \_msradc DNS record? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Record type: "A

CNAME

SRV

TXT

Record value:

<input type="checkbox"/> <a href="https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery">https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery</a>
<input type="checkbox"/> <a href="https://rdweb.wvd.microsoft.com/api/feeddiscovery">https://rdweb.wvd.microsoft.com/api/feeddiscovery</a>
<input type="checkbox"/> <a href="https://rdweb.wvd.microsoft.com/Feed/webfeed.aspx">https://rdweb.wvd.microsoft.com/Feed/webfeed.aspx</a>
<input type="checkbox"/> <a href="https://rdweb.wvd.microsoft.com/Feed/webfeed.aspx">webfeeddiscovery.aspx</a>

**Answer:**

Explanation:

1. TXT
2. <https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery>

Set up email discovery to subscribe to your RDS feed <https://docs.microsoft.com/en-us/windows-server/remote/remote-desktop-services/rds-email-discovery>  
<https://docs.microsoft.com/nl-nl/learn/modules/m365-deploy-wvd/2-deployment-overview>

## Question: 32

You have an Azure Active Directory (Azure AD) tenant named contoso.com and an Azure virtual network named VNET1.

To VNET1, you deploy an Azure Active Directory Domain Services (Azure AD DS) managed domain named litwareinc.com.

To VNET1, you plan to deploy a Windows Virtual Desktop host pool named Pool1.

You need to ensure that you can deploy Windows 10 Enterprise host pools to Pool1.

What should you do first?

- A. Modify the settings of the litwareinc.com DNS zone.
- B. Modify the DNS settings of VNET1.
- C. Add a custom domain name to contoso.com.
- D. Implement Azure AD Connect cloud sync.

## Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory-domain-services/tutorial-create-instance> "Update DNS settings for the Azure virtual network With Azure AD DS successfully deployed, now configure the virtual network to allow other connected VMs and applications to use the managed domain. To provide this connectivity, update the DNS server settings for your virtual network to point to the two IP addresses where the managed domain is deployed."

## Question: 33

You have the devices shown in the following table.

Name	Operating system
Device1	Windows 10 Home
Device?	Windows 8.1 Professional
Device3	Windows 10 IoT Enterprise

You plan to deploy Windows Virtual Desktop for client access to remove virtualized apps.

Which devices support the Remote Desktop client?

- A. Device1 and Device2 only
- B. Device1 and Device3 only
- C. Device1, Device2, and Device3
- D. Device1 only

## Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/remote/remote-desktop-services/clients/windowsdesktop>

Applies to: Windows 10, Windows 10 IoT Enterprise, and Windows 7

You can use the Remote Desktop client for Windows Desktop to access Windows apps and desktops remotely from a different Windows device.

The new Remote Desktop client (MSRDC) supports Windows 10, Windows 10 IoT Enterprise, and

Windows 7 client devices:

Windows 64-bit

Windows 32-bit

Windows ARM64

## Question: 34

### HOTSPOT

You plan to deploy Windows Virtual Desktop.

Users have the devices shown in the following table.

Type	Platform
Tablet	Windows 10 Pro
Phone	Android
Laptop	macOS

From which device types can the users connect to Windows Virtual Desktop resources by using the Remote Desktop client app and the Remote Desktop web client? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Remote Desktop client app:

▼

Tablet only
Tablet and phone only
Tablet and laptop only
Tablet, phone, and laptop

Remote Desktop web client

i

Tablet only  
Tablet and phone only  
Tablet and laptop only  
Tablet, phone, and laptop

**Answer:**

Explanation:

Remote Desktop client app:

5

Tablet only  
Tablet and phone only  
Tablet and laptop only  
Tablet, phone, and laptop

Remote Desktop web client:

▼

Tablet only
Tablet and phone only
Tablet and laptop only

Tablet, phone, and laptop

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/connect-web>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/connect-android>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/connect-macos>

### Question: 35

HOTSPOT

You have a Windows Virtual Desktop deployment.

You plan to create the host pools shown in the following table.

Name	Requirement
Pool1	<ul style="list-style-type: none"><li>• Will be directly assigned to users in the graphics department at your company</li><li>• Will run heavy graphic rendering and compute-intensive applications</li><li>• Must support premium storage</li></ul>
Pool2	<ul style="list-style-type: none"><li>• Pooled virtual machines for approximately 10 users</li><li>• Will run Microsoft Office 365 apps</li><li>• Will require calling and meeting features in Microsoft Teams</li><li>• Must support premium storage</li></ul>

You need to recommend the virtual machine size for each host pool. The solution must minimize costs.

Which size should you recommend for each pool? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Pool1:



Av2-series  
Dsv4-series  
NVv3-series

Pool2:



Av2-series  
Dsv4-series  
NVv3-series

**Answer:**

Explanation:

Pool1:

- Av2-series
- Dsv4-series
- NVv3-series

Pool2:

- Av2-series
- Dsv4-series
- NVv3-series

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/sizes>

<https://docs.microsoft.com/en-us/azure/virtual-machines/nvv3-series>

<https://docs.microsoft.com/en-us/azure/virtual-machines/dv4-dsv4-series>

### Question: 36

You plan to deploy Windows Virtual Desktop to meet the department requirements shown in the following table.

Department	Required Windows Virtual Desktop resource	Number of users	GPU required
Research	Single-session desktop	10	No
Engineering	Multi-session desktop	50	Yes
IT	Multi-session desktop	50	NO
Finance	RemoteApp	10	No

You plan to use Windows Virtual Desktop host pools with load balancing and autoscaling.

You need to recommend a host pool design that meets the requirements. The solution must minimize costs.

What is the minimum number of host pools you should recommend?

- A. 1
- B. 2
- C. 3

D. 4

## Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-host-pools-azure-marketplace>

3 Host Pools - The RemoteApp can be joined inside the IT Multi-Session desktop or the Engineering. <https://docs.microsoft.com/en-us/azure/virtual-desktop/manage-app-groups> The default app group created for a new Azure Virtual Desktop host pool also publishes the full desktop. In addition, you can create one or more RemoteApp application groups for the host pool.

## Question: 37

Your company has a main office and two branch offices. Each office connects directly to the internet. The router in each branch office is configured as an endpoint for the following VPNs:

A VPN connection to the main office

A site-to-site VPN to Azure

The routers in each branch office have the Quality of Service (QoS) rules shown in the following table.

Name	Destination	Available bandwidth allocated
Rule1	VPN traffic to the main office	25%
Rule2	Site-to-site VPN traffic to Azure	25%
Rule3	HTTP/HTTPS traffic to all Azure and Microsoft 365 public IP addresses	25%
Rule4	Traffic to non-Microsoft internet addresses	25%

Users in the branch office report slow responses and connection errors when they attempt to connect to Windows Virtual Desktop resources.

You need to modify the QoS rules on the branch office routers to improve Windows Virtual Desktop performance.

For which rule should you increase the bandwidth allocation?

- A. Rule2
- B. Rule3
- C. Rule4
- D. Rule1

**Answer: B**

Explanation:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/safe-url-list>

Any Remote Desktop clients you use must have access to the following URLs:

Remote Desktop clients

Address Outbound TCP port

\*.wvd.microsoft.com 443

\*.servicebus.windows.net 443

go.microsoft.com 443

aka.ms 443

docs.microsoft.com 443

privacy.microsoft.com 443

query.prod.cms.rt.microsoft.com 443

**Question: 38**

You plan to deploy Windows Virtual Desktop. The deployment will use existing virtual machines.

You create a Windows Virtual Desktop host pool.

You need to ensure that you can add the virtual machines to the host pool.

What should you do first?

- A. Register the Microsoft.DesktopVirtualization provider.
- B. Generate a registration key.
- C. Run the Invoke-AzVMRunCommand cmdlet.
- D. Create a role assignment.

**Answer: B**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-host-pools-azure-marketplace>

**Question: 39**

You deploy a Windows Virtual Desktop host pool named Pool1.

You have an Azure Storage account named store1 that stores FSLogix profile containers in a share named profiles.

You need to configure the path to the storage containers for the session hosts.

Which path should you use?

- A. \\store1.blob.core.windows.net\profiles
- B. https://store1.file.core.windows.net/profiles
- C. \\store1.file.core.windows.net\profiles
- D. https://store1.blob.core.windows.net/profiles

**Answer: C**

Explanation:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/store-fslogix-profile>

Azure offers multiple storage solutions that you can use to store your FSLogix profile container. We recommend storing FSLogix profile containers on Azure Files for most of our customers.

### Question: 41

#### HOTSPOT

You have an Azure virtual machine named VM1 that runs Windows 10 Enterprise multi-session.

You plan to add language packs to VM1 and create a custom image of VM1 for a Windows Virtual Desktop host pool.

You need to ensure that modern apps can use the additional language packs when you deploy session hosts by using the custom image.

Which command should you run first? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

<ul style="list-style-type: none"> <li>▼ "Taskpath "\Microsoft\Windows\AppxDeploymentClient\" -TaskName</li> <li>Disable-ScheduledTask</li> <li>Enable-ScheduledTask</li> <li><u>New-ScheduledTask</u></li> <li>Start-AppBackgroundTask</li> </ul>	<ul style="list-style-type: none"> <li>"License Validation"</li> <li><u>"Pre-staged app cleanup"</u></li> <li>"RemoleFXvGPUDisableTask"</li> </ul>
--	--

**Answer:**

Explanation:

<ul style="list-style-type: none"> <li>▼ -TaskPath "\Microsoft\Windows\AppxDeploymentClient\" -TaskName</li> <li>Disable-ScheduledTask</li> <li>Enable-ScheduledTask</li> <li><u>NewScheduledTask</u></li> <li>Start-AppBackgroundTask</li> </ul>	<ul style="list-style-type: none"> <li>"License Validation"</li> <li><u>"Pre-staged app cleanup"</u></li> <li>RemoleFXvGPUDisableTask'</li> </ul>
---	---

Reference:


<https://docs.microsoft.com/en-us/troubleshoot/windows-server/deployment/issues-appx-cleanup-maintenance-task>

<https://docs.microsoft.com/en-us/powershell/module/scheduledtasks/disable-scheduledtask?view=windowsserver2019-ps>



You have a Windows Virtual Desktop deployment.

You have a session host named Host1 that has the disk layout shown in the exhibit. (Click the Exhibit tab.)



You plan to deploy an app that must be installed on D. The app requires 500 GB of disk space.

You need to add a new data disk that will be assigned the drive letter D. The solution must maintain the current performance of Host1.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

**Answer Area**

- Move the page file to drive C.
- Move the page file to Temporary Storage.
- Change the drive letter of Temporary Storage (D:).
- Mark Temporary Storage (D:) as **Active**.
- Add the new disk and assign drive D.
- Move the page file to System Reserved.



**Answer:**

Explanation:

Move the page file to drive C.

Change the drive letter of Temporary Storage (D:).

Add the new disk and assign drive D.

Move the page file to Temporary Storage.

Reference:

<https://www.azurecorner.com/change-temporary-drive-azure-vm-use-d-persistent-data-disks/>

### Question: 43

You plan to deploy Windows Virtual Desktop session host virtual machines based on a preconfigured master image. The master image will be stored in a shared image.

You create a virtual machine named Image1 to use as the master image. You install applications and apply configuration changes to Image1.

You need to ensure that the new session host virtual machines created based on Image1 have unique names and security identifiers.

What should you do on Image1 before you add the image to the shared image gallery?

- A. At a command prompt, run the set computername command.
- B. At a command prompt, run the sysprep command.
- C. From PowerShell, run the rename-computer cmdlet.
- D. From the lock screen of the Windows device, perform a Windows Autopilot Reset.

**Answer: B**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/prepare-for-upload-vhd-image#determinewhen-to-use-sysprep>

### Question: 44

You have a shared image gallery that contains the Windows 10 images shown in the following table.

Name	Location	Operating system state
Image1	West US	Generalized
Image2	West US	Specialized
Image3	West Europe	Generalized
Image4	West Europe	Specialized

You create a Windows Virtual Desktop deployment that has the following settings:

Host pool name: Pool1

Location: West US

Host pool type: Personal

Which images can you use for the session hosts?

- A. Image1 only
- B. Image1, Image2, Image3, and Image4
- C. Image2 only
- D. Image1 and Image2 only
- E. Image1 and Image3 only

**Answer: A**

Explanation:

Reference:

<https://azure.microsoft.com/en-in/blog/vm-image-blog-post/>

## Question: 45

HOTSPOT

You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Resource group	Location
VM1	RG1	West Europe
VM2	RG1	East US
VM3	RG2	West US

You create a shared image gallery as shown in the SharedGallery1 exhibit. (Click the SharedGallery1

tab.)

## Create shared image gallery

Validation passed

### Basics Tags Review + create

#### Basics

Subscription  
Resource group  
Region Name  
Description

Azure Pass - Sponsorship  
RG1  
West Europe  
SharedGallery1  
None

You create an image definition as shown in the Image1 exhibit. (Click the Image1 tab.)

# Add new image definition to shared image gallery

Q Validation passed

## Basics Version Publishing options Tags Review + create

### Basics

Subscription	Azure Pass - Sponsorship
Resource group	RG1
Region	East US
Target shared image gallery	SharedGallery1
Image definition name	Image1
Operating system	Windows
Operating system state	Specialized
Publisher	Contoso
Offer SKU	WindowsServer2019

### Publishing options

Product name	
EULA link	
Description	
Release notes URI	
Privacy URI	
Purchase plan name	
Purchase plan publisher name	
Recommended VM vCPUs	None
Recommended VM memory	None
Excluded disk types	None
Image definition end of life date	None
	None
	None
For each of the following statements, select Yes if the statement is true. Otherwise, select No.	None 16-64 500-1024GB

NOTE: Each correct selection is worth one point.

None  
None

**Statements**

**Yes**

**No**

You can use the operating system disk of VM1 as a source for a version of Image 1.

You can use the operating system disk of VM2 as a source for a version of Image 1

You can use the operating system disk of VM3 as a source for a version of Image 1.

---

**Answer:**

---

Explanation:

**Statements**

**Yes**

**No**

You can use the operating system disk of VM1 as a source for a version of Image 1.

You can use the operating system disk of VM2 as a source for a version of Image 1.

You can use the operating system disk of VM3 as a source for a version of Image 1.

Reference:

<https://www.robinhobo.com/windows-virtual-desktop-wvd-image-management-how-to-manage- and-deploy-custom-images-including-versioning-with-the-azure-shared-image-gallery-sig/>

**Question: 46**

DRAG DROP

You plan to deploy Windows Virtual Desktop.

You need to create Azure NetApp Files storage to store FSLogix profile containers.

Which four actions should you perform in sequence after you register the NetApp Resource Provider? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Action

Answer Area

- Create a NetApp account.
- Create and assign a managed identity.
- Create a volume.
- Create a capacity pool.
- Create an Azure file share.
- Configure an Active Directory connection.



**Answer:**

**Explanation:**

1. Set up Azure NetApp Files account
2. Create capacity pool
3. Join Active Directory connection
4. Create new volume

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-fslogix-profile-container>

**Question: 47**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Windows Virtual Desktop host pool that contains five session hosts. The session hosts run Windows 10 Enterprise multi-session.

You need to prevent users from accessing the internet from Windows Virtual Desktop sessions. The session hosts must be allowed to access all the required Microsoft services.

Solution: You configure rules in the network security group (NSG) linked to the subnet of the session hosts.

Does that meet the goal?

- A. Yes
- B. No

**Answer: A**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/tutorial-filter-network-traffic>

## Question: 48

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Windows Virtual Desktop host pool that contains five session hosts. The session hosts run Windows 10 Enterprise multi-session.

You need to prevent users from accessing the internet from Windows Virtual Desktop sessions. The session hosts must be allowed to access all the required Microsoft services.

Solution: You configure the Address space settings of the virtual network that contains the session hosts. Does that meet the goal?

A. Yes

B. No

**Answer: B**

Explanation:

## Question: 49

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Windows Virtual Desktop host pool that contains five session hosts. The session hosts run Windows 10 Enterprise multi-session.

You need to prevent users from accessing the internet from Windows Virtual Desktop sessions. The session hosts must be allowed to access all the required Microsoft services.

Solution: You modify the IP configuration of each session host.

Does that meet the goal?

- A. Yes
- B. No

**Answer: B**

Explanation:

### Question: 50

You have a Windows Virtual Desktop host pool named Pool1 and an Azure Storage account named Storage1. Storage1 stores FSLogix profile containers in a share folder named share1.

You create a new group named Group1. You provide Group1 with permission to sign in to Pool1. You need to ensure that the members of Group1 can store the FSLogix profile containers in share1.

The solution must use the principle of least privilege.

Which two privileges should you assign to Group1? Each correct answer presents part of the SOLUTION.

NOTE: Each correct selection is worth one point.

- A. the Storage Blob Data Contributor role for storage1
- B. the List folder / read data NTFS permissions for share1
- C. the Modify NTFS permissions for share1
- D. the Storage File Data SMB Share Reader role for storage1
- E. the Storage File Data SMB Share Elevated Contributor role for storage1
- F. the Storage File Data SMB Share Contributor role for storage1

**Answer: CF**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-file-share>

### Question: 51

You have a Windows Virtual Desktop host pool. You need to install Microsoft Antimalware for Azure on the session hosts.

What should you do?

- A. Add an extension to each session host.
- B. From a Group Policy Object (GPO), enable Windows 10 security features.

- C. Configure the RDP Properties of the host pool.
- D. Sign in to each session host and install a Windows feature.

**Answer: A**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/security/fundamentals/antimalware>

## Question: 52

### HOTSPOT

You have a Windows Virtual Desktop deployment.

You need to ensure that all the connections to the managed resources in the host pool require multifactor authentication (MFA).

Which two settings should you modify in a conditional access policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

## New

Conditional access policy

Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. Learn more

### Name \*

Conditional Access Policy

### Assignments

#### Users and groups 0

AH users

**Cloud apps or actions 0**

No cloud apps or actions selected

**Conditions 0**

0 conditions selected

**Access controls**

**Grant 0**

0 conditions selected

**Session 0**

0 conditions selected

**Answer:**

Explanation:

# New

Conditional access policy

Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. Learn more

**Name \***

Conditional Access Policy

Assignments

**Users and groups 0**

AH users

**Cloud apps or actions 0**

No cloud apps or actions selected

0 conditions 0

0 conditions selected

Access controls

Grant 0

0 conditions selected

Session 0

0 conditions selected

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-azure-mfa>

## Question: 53

HOTSPOT

Your company has the offices shown in the following table.

Location	Internal network IP address space	Public IP address space
Boston	10 10 0 0/16	13 83 131 0/24
Seattle	172 16 0 0/16	92 15 10 0/24

The company has an Azure Active Directory (Azure AD) tenant named contoso.com that contains a user named User1.

Users connect to a Windows Virtual Desktop deployment named WVD1. WVD1 contains session hosts that have public IP addresses from the 52.166.253.0/24 subnet.

Contoso.com has a conditional access policy that has the following settings:

Name: Policy1

Assignments:

Users and groups: User1

Cloud apps or actions: Windows Virtual Desktop

Access controls:

Grant: Grant access, Require multi-factor authentication

Enable policy: On

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Statements**

**Yes**

**No**

If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA)

If User1 connects to Windows Virtual Desktop from home, User 1 is prompted for multi-factor authentication (MFA).

If User 1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session, User1 is prompted for multi-factor authentication (MFA)

**Answer:**

Explanation:

**Statements**

**Yes**

**No**

If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA)

If User1 connects to Windows Virtual Desktop from home. User1 is prompted for multi-factor authentication (MFA).

If User1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session. User1 is prompted for multi-factor authentication (MFA).

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-azure-mfa>

**Question: 54**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Windows Virtual Desktop host pool named Pool1 that is integrated with an Azure Active Directory Domain Services (Azure AD DS) managed domain.

You need to configure idle session timeout settings for users that connect to the session hosts in Pool1.

Solution: From an Azure AD DS-joined computer, you modify the AADC Computer GPO settings. Does that meet the goal?

A. Yes

B. No

**Answer: A**

Explanation:

## Question: 55

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Windows Virtual Desktop host pool named Pool1 that is integrated with an Azure Active Directory Domain Services (Azure AD DS) managed domain.

You need to configure idle session timeout settings for users that connect to the session hosts in Pool1.

Solution: From an Azure AD DS-joined computer, you modify the AADC Computers GPO settings.

Does that meet the goal?

- A. Yes
- B. No

**Answer: A**

Explanation:

## Question: 56

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Windows Virtual Desktop host pool named Pool1 that is integrated with an Azure Active Directory Domain Services (Azure AD DS) managed domain.

You need to configure idle session timeout settings for users that connect to the session hosts in Pool1.

Solution: From the Azure portal, you modify the Session behavior settings in the RDP Properties of Pool1.

Does that meet the goal?

- A. Yes
- C. No

**Answer: B**

Explanation:

### Question: 57

You have a Windows Virtual Desktop deployment.

You publish a RemoteApp named AppVersion1.

You need AppVersion1 to appear in the Remote Desktop client as Sales Contact Application.

Which PowerShell cmdlet should you use?

- A. New-AzADApplication
- B. Update-AzWvdApplicationGroup
- C. Register-AzWvdApplicationGroup
- D. Update-AzWvdApplication

**Answer: A**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/customize-feed-for-virtual-desktop-users>  
<https://docs.microsoft.com/en-us/powershell/module/az.desktopvirtualization/update-azwvdapplication?view=azps-5.7.0>

### Question: 58

You have a Windows Virtual Desktop deployment that contains the following:

A host pool named Pool1

Two session hosts named Host1 and Host2

An application group named RemoteAppGroup1 that contains a RemoteApp named App1

You need to prevent users from copying and pasting between App1 and their local device. What should you do?

- A. Create an AppLocker policy.
- B. Modify the locks of RemoteAppGroup1.
- C. Modify the locks of RemoteAppGroup1.
- D. Modify the RDP Properties of Pool1.

**Answer: D**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/customize-rdp-properties>

## Question: 59

### HOTSPOT

Your network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant. The domain contains the users shown in the following table.

Name	Role	Member of
User1	Desktop Virtualization Workspace Reader	Group1
User2	Desktop Virtualization Application Group Reader	Group2

You have a Windows Virtual Desktop deployment that contains the application groups shown in the following table.

Name	Application	Assignment
AppGroup1	Microsoft Word	Group1
AppGroup2	Microsoft Excel	Group2
AppGroup3	Microsoft PowerPoint	Group1, Group2

You have the workspaces shown in the following table.

Name	Application group
Workspace1	AppGroup1
Workspace2	AppGroup2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

### Answer Area

Statements	Yes	No
------------	-----	----

User1 has PowerPoint listed in the Remote Desktop client.

User1 has Word listed in the Remote Desktop client.

User2 has PowerPoint listed in the Remote Desktop client.

**Answer:**

Explanation:

**Answer Area**

Statements	Yes	No
User1 has PowerPoint listed in the Remote Desktop client	<input type="radio"/>	<input type="radio"/>
User1 has Word listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>
User2 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/environment-setup>

**Question: 60**

You have a Windows Virtual Desktop host pool that contains two session hosts. The Microsoft Teams client is installed on each session host.

You discover that only the Microsoft Teams chat and collaboration features work. The calling and meeting features are disabled.

You need to ensure that users can set the calling and meeting features from within Microsoft Teams. What should you do?

- A. Install the Remote Desktop WebRTC Redirector Service.
- B. Configure Remote audio mode in the RDP Properties.
- C. Install the Teams Meeting add-in for Outlook.
- D. Configure audio input redirection.

**Answer: A**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/teams-on-wvd>

**Question: 61**

You have a Windows Virtual Desktop host pool that contains 20 Windows 10 Enterprise multi-session hosts. Users connect to the Windows Virtual Desktop deployment from computers that run Windows 10.

You plan to implement FSLogix Application Masking.

You need to deploy Application Masking rule sets. The solution must minimize administrative effort.

To where should you copy the rule sets?

- A. the FSLogix profile container of each user
- B. C:\Program Files\FSLogix\Apps\Rules on every Windows 10 computer
- C. C:\Program Files\FSLogix\Apps\Rules on every session host

**Answer: C**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/fslogix-office-app-rule-editor>

### Question: 62

You have a Windows Virtual Desktop host pool named Pool1.

You are troubleshooting an issue for a Remote Desktop client that stopped responding.

You need to restore the default Remote Desktop client settings and unsubscribe from all workspaces. Which command should you run?

- A. msrdcw
- B. resetengine
- C. mstsc
- D. resetpluginhost

**Answer: A**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/troubleshoot-client>

### Question: 63

Your network contains an on-premises Active Directory domain and a Windows Virtual Desktop deployment.

The computer accounts for all the session hosts are in an organizational unit (OU) named WVDHostsOU.

All user accounts are in an OU named CorpUsers.

A domain administrator creates a Group Policy Object (GPO) named Policy1 that only contains user settings.

The administrator links Policy1 to WVDHostsOU.

You discover that when users sign in to the session hosts, none of the settings from Policy1 are applied.

What should you configure to apply GPO settings to the users when they sign in to the session hosts?

- A. loopback processing
- B. FSLogix profiles
- C. mandatory Roaming User Profiles
- D. restricted groups

**Answer: A**

**Explanation:**

**Reference:**

<https://www.linkedin.com/pulse/windows-virtual-desktop-remoteapps-jason-byway>

## Question: 64

You have a Windows Virtual Desktop deployment.

You need to provide external users with access to the deployment. The external users have computers that run Windows 10 Pro and Windows 10 Enterprise. The users do not have the ability to install applications. What should you recommend that the users use to connect to the deployment?

- A. Microsoft Edge
- B. RemoteApp and Desktop Connection
- C. Remote Desktop Manager
- D. Remote Desktop Connection

**Answer: A**

**Explanation:**

**Reference:**

<https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-external-users>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/connect-web>

## Question: 65

Your network contains an on-premises Active Directory domain. The domain contains a universal security group named WVDusers.

You have a hybrid Azure Active Directory (Azure AD) tenant. WVDusers syncs to Azure AD.

You have a Windows Virtual Desktop host pool that contains four Windows 10 Enterprise multi-session hosts.

You need to ensure that only the members of WVDusers can establish Windows Virtual Desktop sessions to the host pool.

What should you do?

- A. Assign WVDusers to an Azure role scoped to each host pool.
- B. On each session host, add WVDusers to the local Remote Desktop Users group.
- C. Assign WVDusers to an Azure role scoped to the session hosts.
- D. Assign WVDusers to an application group.

**Answer: D**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/manage-app-groups>

### Question: 66

You deploy multiple Windows Virtual Desktop session hosts that have only private IP addresses.

You need to ensure that administrators can initiate an RDP session to the session hosts by using the Azure portal.

What should you implement?

- A. Remote Desktop Connection Broker (RD Connection Broker)
- B. Azure Application Gateway
- C. Azure Bastion
- D. Remote Desktop Session Host (RD Session Host)

**Answer: D**

Explanation:

### Question: 67

You have a Windows Virtual Desktop host pool that runs Windows 10 Enterprise multi-session.

You need to configure automatic scaling of the host pool to meet the following requirements: Distribute new user sessions across all running session hosts.

Automatically start a new session host when concurrent user sessions exceed 30 users per host.

What should you include in the solution?

- A. an Azure Automation account and the depth-first load balancing algorithm
- B. an Azure Automation account and the breadth-first load balancing algorithm
- C. an Azure load balancer and the breadth-first load balancing algorithm
- D. an Azure load balancer and the depth-first load balancing algorithm

**Answer: A**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/host-pool-load-balancing>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/configure-host-pool-load-balancing>

### Question: 68

You have a Windows Virtual Desktop host pool named Pool1 and an Azure Automation account named account1. Pool1 is integrated with an Azure Active Directory Domain Services (Azure AD DS) managed domain named contoso.com.

You plan to configure scaling for Pool1 by using Azure Automation runbooks.

You need to authorize the runbooks to manage the scaling of Pool1. The solution must minimize administrative effort.

What should you configure?

- A. a managed identity in Azure Active Directory (Azure AD)
- B. a group Managed Service Account (gMSA) in Azure AD DS
- C. a Connections shared resource in Azure Automation
- D. a Run As account in Azure Automation

**Answer: D**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/set-up-scaling-script>

### Question: 69

You have a Windows Virtual Desktop host pool named Pool1 that runs Windows 10 Enterprise multisession hosts.

You need to use Performance Monitor to troubleshoot a low frame quality issue that is affecting a current use session to Pool1.

What should you run to retrieve the user session ID?

- A. Get-ComputerInfo
- B. qwinsta
- C. whoami
- D. Get-LocalUser

**Answer: B**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/troubleshoot-vm-configuration>

### Question: 70

You have an Azure subscription that contains the resources shown in the following table.

Name	Description
WVDVM-0	A virtual machine used in a pooled virtual machine set
share1	An Azure file share that stores FSLogix profile containers
Image1	A custom Windows 10 image in a shared image gallery
Image2	A custom Windows Server 2019 image stored in Azure Blob storage

Which resources can you back up by using Azure Backup?

- A. WVDVM-0 and share1 only
- B. WVDVM-0 only
- C. WVDVM-0, Image1, and Image2 only
- D. WVDVM-0, share1, and Image1 only
- E. WVDVM-0, share1, Image1, and Image2

**Answer: A**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/backup/backup-afs>

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-vm-introduction>

### Question: 71

DRAG DROP

You have a Windows Virtual Desktop host pool named Pool1. Pool1 contains session hosts that use FSLogix profile containers hosted in Azure NetApp Files volumes.

You need to back up profile files by using snapshots.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

**Answer Area**

- Create an Azure NetApp account.
- Register the NetApp Resource Provider.
- Register the Azure NetApp snapshot policy feature.
- Create a snapshot policy.
- Apply a snapshot policy to a volume.



**Answer:**

Explanation:

Register the Azure NetApp snapshot policy feature.

Create a snapshot policy.

Apply a snapshot policy to a volume.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-netapp-files/azure-netapp-files-manage-snapshots>

**Question: 72**

You are designing an Azure Virtual Desktop deployment.

You identify the network latency between the locations where users reside and the planned deployment.

What should you use to identify the best Azure region to deploy the host pool?

- A. Azure Traffic Manager
- B. Azure Virtual Desktop Experience Estimator
- C. Azure Monitor for Azure Virtual Desktop
- D. Azure Advisor

## Answer: B

Explanation:

Reference:

<https://azure.microsoft.com/en-gb/services/virtual-desktop/assessment/>

## Question: 73

You have an Azure Virtual Desktop host pool named Pool1 in the East US region.

You have a storage account named storage1 that contains FSLogix profile containers. In the East US region, you have a shared image gallery named SIG1 that contains a virtual machine image named Image1. Image1 is used to create new session hosts in Pool1.

You plan to deploy a new Azure Virtual Desktop host pool named Pool2 to the South India region.

You need to implement a session host deployment solution for Pool2 that meets the following requirements:

Image1 must replicate in the South India region.

The session hosts in Pool2 must be based on Image1.

Changes to Image1 must be available in the South India and East US regions.

What should you include in the solution?

- A. Create a new shared image gallery named SIG2 in the South India region. Upload a copy of Image1 to SIG2.
- B. Create a new Azure Storage account named storage2 in the South India region. Copy Image1 to a shared folder in storage2.
- C. From SIG1, update the replication for the latest image version of Image1.
- D. Configure geo-redundant storage (GRS) replication for storage1. Copy the VHD file of Image1 to the FSLogix profile container.

## Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/shared-image-galleries>

## Question: 74

You have an Azure Virtual Desktop host pool. The pool contains session hosts that run Windows 10 Enterprise multi-session.

You connect to a Remote Desktop session on Pool1 and discover an issue with the frequency of screen updates.

You need to identify whether the issue relates to insufficient server, network, or client resources. The solution must minimize how long it takes to identify the resource type.

What should you do?

- A. From within the current session, use the Azure Virtual Desktop Experience Estimator.
- B. From Azure Cloud Shell, run the `Get-AzOperationalInsightsWorkspaceUsage` cmdlet and specify the `DefaultProfile` parameter.
- C. From Azure Cloud Shell, run the `Get-AzWvdUserSession` cmdlet and specify the `UserSessionId` parameter.
- D. From within the current session, use Performance Monitor to display the values of all the `RemoteFX Graphics(*)\Frames Skipped/Second` counters.

**Answer: D**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/remotefx-graphics-performance-counters>

## Question: 75

DRAG DROP

You have an Azure Virtual Desktop host pool named Pool1.

You need to ensure that you can create an Azure NetApp Files volume that will host user profiles for Pool1.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

## Actions

## Answer Area

Answer:

Explanation:

Register the NetApp Resource Provider.

Create an Azure NetApp Files account.

Create an Azure File Sync Storage Sync Service.

Register for Azure NetApp Files.

Create a capacity pool.

Create a file share.



Register the NetApp  
Resource Provider.

Register for Azure NetApp  
Files.

Create an Azure NetApp  
Files account.

Create a capacity pool.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-netapp-files/azure-netapp-files-quickstart-set-up-account-create-volumes?tabs=azure-portal>

### Question: 76

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You use a user account named Admin1 to deploy an Azure Active Directory Domain Services (Azure AD DS) managed domain named aadscntoso.com to a virtual network named VNET1.

You plan to deploy an Azure Virtual Desktop host pool named Pool1 to VNET1.

You need to ensure that you can use the Admin1 user account to deploy Windows 10 Enterprise session hosts to Pool1.

What should you do first?

- A. Add Admin1 to the AA Change Host pool type to Pooled and specify Load D DC Administrators group of contoso.com.
- B. Assign the Cloud device administrator role to Admin1.
- C. Assign a Microsoft 365 Enterprise E3 license to Admin1.
- D. Change the password of Admin1.

**Answer: A**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-host-pools-azure-marketplace?tabs=azure-portal>

### Question: 77

You have an Azure Virtual Desktop host pool named Pool1 that contains the following:

A linked workspace named Workspace1

An application group named Default Desktop

A session host named Host1

You need to add a new data disk.

What should you modify?

- A. Host1
- B. Workspace 1
- C. Pool1
- D. Default Desktop

**Answer: A**

Explanation:

### Question: 78

HOTSPOT

You are automating the deployment of an Azure Virtual Desktop host pool.

You deploy the Azure Resource Manager (ARM) template shown in the following exhibit.

```
10
2    " $schema": "https://schema.management.azure.com/schemas/2015-01-01/
deploymentTemplate.json#",
"contentversion": "1.0.0.0",
<v "parameters": {
5^    "hostpools_HostPool2_name": (
"defaultValue": "HostPool2", "type": "String"
a
"type": "Microsoft.DesktopVirtualization/hostpools", "apiVersion": "2020-11-02-
",
"variables": {},
"resources": [
11
12  preview, "name": "(parameters('hostpools_HostPool2_name'))", "location":
13  "eastus", "properties": {
14    "hostPoolType": "Personal", "personalDesktopAssignmentType": "Automatic",
15    "maxSessionLimit": 999999, "loadBalancerType": "Persistent",
16    "validationEnvironment": false, "registrationInfo": {
17  "registrationTokenOperation": "None"
18
19
20
21    "preferredAppGroupType": "Desktop", "startVMOnConnect": false
22
23  Use the drop-down menus to select the answer choice that completes each statement based on
24  the information presented in the Dockerfile.
25
26  NOTE: Each correct selection is worth one point.
27
28
29
30
31
```

**Answer:**

Explanation:

Each session host in HostPool2 can contain

- 1 session
- 15 sessions
- 99,999 sessions

Each time a user connects, the user will connect to

- a RemoteApp named Desktop
- a permanently assigned virtual machine
- a random virtual machine in the host pool

Each session host in HostPool2 can contain

- 1 session
- 15 sessions
- 99,999 sessions

Each time a user connects, the user will connect to

- a RemoteApp named Desktop
- a permanently assigned virtual machine
- a random virtual machine in the host pool

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/virtual-desktop-fall-2019/configure-host-pool-personal-desktop-assignment-type-2019>

## Question: 79

You have an Azure Virtual Desktop deployment.

You have a RemoteApp named App1.

You discover that from the Save As dialog box of App1, users can run executable applications other than App1 on the session hosts.

You need to ensure that the users can run only published applications on the session hosts.

What should you do?

- A. Configure a conditional access policy in Azure Active Directory (Azure AD).
- B. Modify the Access control (IAM) settings of the host pool.
- C. Modify the RDP Properties of the host pool.
- D. Configure an AppLocker policy on the session hosts.

**Answer: D**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/security-guide>

## Question: 80

HOTSPOT

You have an Azure Virtual Desktop Deployment that contains a workspace named Workspace1 and a user named User1. Workspace1 contains a Desktop application group named Pool1Desktop.

At 09:00, you create a conditional access policy that has the following settings:

Assignments:

- Users and groups: User1
- Cloud apps or actions: Azure Virtual Desktop
- Conditions: 0 conditions selected

Access controls

- Grant: Grant access, Require multi-factor authentication
- Sessions: Sign-in frequency 1 hour

User1 performs the actions shown in the following table.

Time	Action
0910	Open the Remote Desktop client and subscribe to Workspacel
09 20	Connect to Pool1 Desktop
11 10	Sign out of Pool 1 Desktop and close the Remote Desktop client
1230	Open the Remote Desktop client
13 50	Connect to Pool1 Desktop

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Statements**

**Yes**

**No**

User1 is prompted for multi-factor authentication (MFA) at

09:10.



User1 is prompted for multi-factor authentication (MFA) at

10:20.



User1 is prompted for multi-factor authentication (MFA) at

13:50.



**Answer:**

Explanation:

## Statements

Yes

No

User is prompted for multi-factor authentication (MFA) at 09:10.

User is prompted for multi-factor authentication (MFA) at 10:20.

User is prompted for multi-factor authentication (MFA) at 13:50.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/set-up-mfa>

## Question: 81

You deploy an Azure Virtual Desktop session host pool.

You need to provide a group of pilot users access to the virtual machines in the pool.

What should you do?

- A. Create a role definition.
- B. Add the users to a Remote Desktop Users group on the virtual machines.
- C. Add the users to the local Administrators group on the virtual machines.
- D. Create a role assignment.

**Answer: D**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/delegated-access-virtual-desktop>

## Question: 82

You have an Azure Virtual Desktop host pool named Pool1. Pool1 contains session hosts that have a third-party application named App1. App1 is published by using a RemoteApp group.

A new MSI-based version of App1 is installed each month to each host. The name of the executable file is different for each version of App1.

You need to automate the process of making a new version of App1 available via RemoteApp. The process must ensure that the user experience remains the same when launching the application from the Windows Desktop client.

Which two cmdlets should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Remove-AzWvdApplication
- B. New-AzWvdApplication
- C. New-AzWvdApplicationGroup
- D. New-AzWvdMsixPackage
- E. New-AzRoleAssignmenc
- F. Remove-AzWvdMsixPackage

**Answer: BD**

Explanation: Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/what-is-app-attach>

<https://docs.microsoft.com/en-us/powershell/module/az.desktopvirtualization/new-azwvdapplication?view=azps-6.4.0>

### Question: 83

You have an Azure Virtual Desktop deployment.

You need to recommend a solution to run containerized applications without installing the applications on the session hosts.

What should you include in the recommendation?

- A. EXE applications
- B. MSI packages
- C. APPX app packages
- D. MSIX app packages

**Answer: D**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows/msix/msix-container>

## Question: 84

### HOTSPOT

You have an Azure Virtual Desktop host pool named Pool1 and an Azure Storage account named storage1. Pool1 and storage1 are in the same Azure region.

The current network utilization of the session hosts during peak hours is 95%.

You plan to use FSLogix profile containers stored in storage1 for users that connect to Pool1.

You need to configure the session hosts and storage1 to minimize network latency when loading and updating profiles.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

For storage1:

	▼
Configure network routing.	
Configure a private endpoint.	
Configure the storage account type.	


For the session hosts:

	▼
Enable Write Accelerator.	
Increase the Virtual machine size.	
Add additional network adapters.	


**Answer:**

Explanation:

For storage1:



For the session hosts:



Reference:

<https://docs.microsoft.com/en-us/azure/architecture/example-scenario/wvd/windows-virtual-desktop-fslogix>

### Question: 85

You have an Azure Virtual Desktop host pool named Pool1 that contains three session hosts. The session hosts are configured to use FSLogix profiles.

On a management computer, you create an Application Masking rule and assignment files.

You need to apply Application Masking to the session hosts in Pool1.

What should you do?

- A. Generate a registration token.
- B. Install the FSLogix agent on the session hosts in Pool1.
- C. Compile the rule and assignment files.
- D. Copy the files to the session hosts in Pool1.

**Answer: D**

Explanation:

Reference:

<https://cloudbuild.co.uk/fslogix-application-masking-in-windows-virtual-desktop/>

## Question: 86

You have an Azure Virtual Desktop deployment.

The session hosts are joined to an on-premises Active Directory domain named contoso.com.

You need to limit user sessions to three hours.

What should you configure?

- A. a Group Policy Object (GPO) in [contoso.com](https://contoso.com).
- B. the properties of the workspace
- C. the RDP Properties of a host pool
- D. just-in-time (JIT) VM access

**Answer: A**

Explanation:

## Question: 87

DRAG DROP

You have an Azure Virtual Desktop host pool named Pool1, an application named App1, and an Azure file share named Share1.

You need to ensure that you can publish App1 to Pool1 by using MSIX app attach.

Which four actions should you perform in sequence before you publish App1? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- Create an MSIX image.
- Generate a signing certificate.
- Upload the MSIX package to Share1.
- Generate an encryption certificate.
- Create an MSIX package.
- Upload the MSIX image to Share1.



**Answer:**

Explanation:

| Generate a signing certificate

Create an MSIX package | Create an MSIX image

) Upload the MSIX image to Share1

Reference:

<https://docs.microsoft.com/en-us/windows/msix/packaging-tool/create-app-package>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/app-attach-image-prep>

**Question: 88**

HOTSPOT

Your network contains an on-premises Active Directory domain named contoso.com that syncs to an Azure Active Directory (Azure AD) tenant.

You have an Azure subscription that contains an Azure Virtual Desktop host pool.

You create an Azure Storage account named storage1.

You need to use FSLogix profile containers in storage1 to store user profiles for a group named Group1. The solution must use the principle of least privilege.

What should you include in the solution? To answer, select the appropriate options in the answer area.

For storage1:

- Join to the contoso.com domain
- Configure a shared access signature (SAS)
- Enable encryption by using customer-managed keys.
- Configure Azure Active Directory Domain Services (AD DS) integration

To Group1, assign the role of

- Storage Blob Data Contributor
- Storage Blob Data Reader
- Storage File Data SMB Share Contributor
- Storage File Data SMB Share Reader

**Answer:**

**Explanation:**

For storage1:

- Join to the contoso.com domain
- Configure a shared access signature (SAS)
- Enable encryption by using customer-managed keys.
- Configure Azure Active Directory Domain Services (AD DS) integration

To Group1, assign the role of

- Storage Blob Data Contributor
- Storage Blob Data Reader
- Storage File Data SMB Share Contributor
- Storage File Data SMB Share Reader

**Reference:**

<https://docs.microsoft.com/en-us/azure/storage/files/storage-files-identity-ad-ds-enable>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-file-share>

## Question: 89

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have the following:

- A Microsoft 365 E5 tenant
- An on-premises Active Directory domain
- A hybrid Azure Active Directory (Azure AD) tenant
- An Azure Active Directory Domain Services (Azure AD DS) managed domain
- An Azure Virtual Desktop deployment

The Azure Virtual Desktop deployment contains personal desktops that are hybrid joined to the on-premises domain and enrolled in Microsoft Intune.

You need to configure the security settings for the Microsoft Edge browsers on the personal desktops.

Solution: You create and configure a Group Policy Object (GPO) in the on-premises domain.

Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

Explanation:

Reference:

<https://www.compete366.com/blog-posts/eight-tips-on-how-to-manage-azure-virtual-desktop-avd/>

## Question: 90

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have the following:

- A Microsoft 365 E5 tenant
- An on-premises Active Directory domain
- A hybrid Azure Active Directory (Azure AD) tenant
- An Azure Active Directory Domain Services (Azure AD DS) managed domain
- An Azure Virtual Desktop deployment

The Azure Virtual Desktop deployment contains personal desktops that are hybrid joined to the onpremises domain and enrolled in Microsoft Intune.

You need to configure the security settings for the Microsoft Edge browsers on the personal desktops.

Solution: You configure a configuration profile in Intune.

Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/fundamentals/azure-virtual-desktop>

## Question: 91

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have the following:

- A Microsoft 365 E5 tenant
- An on-premises Active Directory domain
- A hybrid Azure Active Directory (Azure AD) tenant
- An Azure Active Directory Domain Services (Azure AD DS) managed domain
- An Azure Virtual Desktop deployment

The Azure Virtual Desktop deployment contains personal desktops that are hybrid joined to the onpremises domain and enrolled in Microsoft Intune.

You need to configure the security settings for the Microsoft Edge browsers on the personal desktops.

Solution: You configure a compliance policy in Intune.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

Explanation:

You need to configure a Configuration Profile in Intune or use Group Policy.

## Question: 92

You have an Azure Virtual Desktop deployment.

You deploy and configure Azure Virtual Desktop in a secondary location.

You plan to perform a test failover to the secondary location, but discover existing user sessions to the primary location.

You need to sign out users from the session hosts in the primary location.

Which PowerShell cmdlet should you run?

- A. Invoke-RdsUserSessionLogoff
- B. Remove-AzWvdUserSession
- C. Invoke-RestMethod
- D. Remove-Alias

**Answer: B**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/disaster-recovery>

### Question: 93

You have an Azure Virtual Desktop deployment.

You use the Start/Stop VMs during off-hours feature in Azure.

You need to configure which virtual machines must never be stopped by the solution.

What should you configure?

- A. the Diagnostic settings of the host pool
- B. the Start-Stop-VM task
- C. an Azure Automation account variable
- D. an action group

**Answer: C**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/automation/automation-solution-vm-management>

<https://docs.microsoft.com/en-us/azure/automation/automation-solution-vm-management-enable>

### Question: 94

You have an Azure Virtual Desktop host pool in the US East Azure region.

You need to ensure that the host pool can fail over to the US West Azure region.

What should you do first?

- A. Create a Recovery Services vault.
- B. Create a virtual machine snapshot of each session host.
- C. Create an Azure Storage account that uses geo-redundant storage (GRS).

D. Create a new host pool.

**Answer: A**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/azure-to-azure-tutorial-enable-replication>

## Question: 95

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Virtual Desktop host pool that runs Windows 10 Enterprise multi-session.

User sessions are load-balanced between the session hosts. Idle session timeout is 30 minutes.

You plan to shut down a session host named Host1 to perform routine maintenance.

You need to prevent new user sessions to Host1 without disconnecting active user sessions.

Solution: you change the Drain mode of Host1.

Does this meet the goal?

A. Yes

B. No

**Answer: A**

Explanation: Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/drain-mode>

## Question: 96

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Virtual Desktop host pool that runs Windows 10 Enterprise multi-session.

User sessions are load-balanced between the session hosts. Idle session timeout is 30 minutes.

You plan to shut down a session host named Host1 to perform routine maintenance.

You need to prevent new user sessions to Host1 without disconnecting active user sessions.

Solution: From the properties of the virtual machine of Host1, you enable just-in-time (JIT) VM access.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/drain-mode>

## Question: 97

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Virtual Desktop host pool that runs Windows 10 Enterprise multi-session.

User sessions are load-balanced between the session hosts. Idle session timeout is 30 minutes.

You plan to shut down a session host named Host1 to perform routine maintenance.

You need to prevent new user sessions to Host1 without disconnecting active user sessions.

**Solution:** From the host pool, you remove Host1 from the session host list.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

**Reference:**

<https://docs.microsoft.com/en-us/azure/virtual-desktop/drain-mode>

## Question: 98

You have a Azure Virtual Desktop host pool in the East US region.

You need to implement a disaster recovery solution that meets the following requirements:

- If users cannot connect to the Azure Virtual Desktop resources in the East US region, the users **must be able to connect to the equivalent resources in the West US region.**
- Users must connect to the Azure Virtual Desktop resources in either the East US or the West US region by selecting a single icon in the Remote Desktop client
- In the event of a disaster, failover between the Azure regions must be initiated manually by an administrator.
- Failover times must be minimized.

What should you do?

- A. Create new session hosts in the West US region and add the session hosts to an existing host pool.
- B. Enable Azure Backup to a Recovery Services vault in the West US region.
- C. Configure a shared image gallery that has replicas in the East US and West US regions.
- D. Create an additional host pool in the West US region.
- E. Enable Azure Site Recovery replication of the virtual machines to the West US region.

**Answer: B**

**Explanation:**

**Reference:**

<https://docs.microsoft.com/en-us/azure/virtual-desktop/disaster-recovery>

### Question: 99

You have a Azure Virtual Desktop deployment.

In Azure Advisor, you discover the following recommendation related to Azure Virtual Desktop:

- Impact **Medium**
- Description: No validation environment enabled
- Potential Benefit Ensure business continuity through AVD service deployments
- Impacted Resource:1 Host Pool

What can you validate by implementing the recommendations?

- A. Capacity requirements of the session hosts
- B. Security settings of Azure Virtual Desktop
- C. Preview features for Azure Virtual Desktop
- D. Azure Site Recovery failover of the session hosts

**Answer: D**

#### Explanation:

Validation environments are used to test and validate Azure Virtual Desktop deployments before they are made available to users. This can include testing the capacity of the session hosts, the performance of the deployment, and the configuration of security settings. By implementing a validation environment, you can ensure that the Azure Virtual Desktop deployment is working correctly and that there are no issues that could impact business continuity. This can help to ensure a smooth user experience and minimize downtime.

### Question: 100

You have a Azure Virtual Desktop deployment.

You need to monitor the deployment of using the Azure Virtual Desktop Insights solution in Azure Monitor.

What should you use as the Diagnostic settings destination for the host pool?

- A. Event hub
- B. Log Analytics workspace
- C. Storage account

**Answer: B**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/azure-monitor>

### Question: 101

You have a Azure Virtual Desktop deployment that contains multiple host pools.

You need to create a PowerShell script to sign users out of a specific session host before you perform a maintenance task.

Which PowerShell module should you load in the script?

- A. Az.Automation
- B. Az.COMputC
- C. Az.Maintenance
- D. Az.DektopVirtualization

**Answer: D**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/az.desktopvirtualization/?view=azps-6.6.0#desktopvirtualization>

<https://techgenix.com/logging-off-and-removing-wvd-user-sessions/>

### Question: 102

You have a Azure Virtual Desktop deployment.

You plan to implement the Start/Stop VMs during off-hours feature.

You need to ensure that you can stop the session hosts automatically based on the CPU utilization.

What should you do on the session hosts?

- A. Enable change tracking.
- B. Configure the Power Management settings.
- C. Configure the Diagnostic settings.
- D. Install the Azure Virtual Desktop Agent

**Answer: C**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/azure-monitor>

### Question: 103

Your company has a single office and has 40 employees.

You are planning a Azure Virtual Desktop deployment. The estimated user workloads are shown in the following table.

Workload type	Number of users	Bandwidth per session
---------------	-----------------	-----------------------

Light	23	1.5 Mbps
Medium	10	3 Mbps
Heavy	10	5 Mbps

Half the users of each workload type work from home. All the users who work from home do NOT establish a VPN connection to the office. Approximately how much bandwidth is needed between the office and Azure Io support the planned workloads?

- A. 9.5 Mbps
- B. 55 Mbps
- C. 110 Mbps
- D. 220 Mbps

**Answer: B**

Explanation:

### Question: 104

Your company has 60,000 users.

You plan to deploy Azure Virtual Desktop.

You need to recommend a storage solution for the FSLogix profile containers. The solution must provide the highest possible IOPS and the lowest latency desktop experience

What should you recommend?

- A. Azure Files Standard
- B. Azure Data Lake Storage
- C. Azure Blob storage Premium
- D. Azure NetApp Files

**Answer: D**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/store-fslogix-profile>

### Question: 105

You have an Azure Virtual Desktop deployment.

You need to create a host pool. The solution must ensure that during periods of low CPU usage, credits can be accumulated, and then used to raise performance above the purchased baseline during periods of high CPU usage.

Which virtual machine series should you specify when you create the pool?

- A. A-series
- B. D-series
- C. H-series

D. B-series

**Answer: D**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/sizes-b-series-burstable>

### Question: 106

You have a Azure Virtual Desktop host pool named Pool1 that contains three session hosts. The session hosts are configured to use FSLogtx profile containers. You need to configure Cloud Cache on the session hosts.

What should you do?

- A. Remove VHDLocations entries from the Windows registry.
- B. Configure FSLogtx Office Container.
- C. Add VHDLocations entries to the Windows registry.
- D. Uninstall the FSLogix agent

**Answer: A**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/fslogix/configure-cloud-cache-tutorial>

### Question: 107

You have a Azure Virtual Desktop deployment.

You Implement FSLogix profile container.

You need to ensure that the FSLogix profile containers are not used for specific users.

What should you do?

- A. Modify the RDP Properties of the host pool.
- B. Apply an Application Masking rule to each session host.
- C. Apply an AppLocker policy to each session host.
- D. Modify the local groups on each session host.

**Answer: D**

Explanation: Reference:

<https://docs.microsoft.com/en-us/fslogix/configure-profile-container-tutorial>

### Question: 108

You have a Azure Virtual Desktop deployment that uses Microsoft 355 cloud services including Microsoft Teams.

Users use the Remote Desktop client to connect to the deployment from computers that run Windows 10. You need to support audio and video in Azure Virtual Desktop and provide the users with access to Microsoft Teams calling and meeting features.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Install the Microsoft Teams WebSocket Service on the Windows 10 computers
- B. Configure the IsVWDEnvironment registry key on the Windows 10 computers
- C. Configure the isWVDEnvironment registry key on the virtual machines
- D. Install the Microsoft Teams desktop app on the Windows 10 computers
- E. Install the Microsoft Teams WebSocket Service on the virtual machines
- F. Install the Microsoft Teams desktop app on the virtual machines

**Answer: BDE**

Explanation: Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/teams-on-avd>

### Question: 109


HOTSPOT

You have a hybrid Azure Active Directory (Azure AD) tenant named contoso.com that contains the users shown in the following table.

Name	Member of
User1	Group 1
User2	Group2
User3	Group1, Group3

You have an Azure Virtual Desktop host pool. All the session hosts have a folder named C:\Folder1.

You create an FSLogix Application Masking rule as shown in the following exhibit.



You create assignments for the Application Masking rule as shown in the following exhibit.

gj^ Assignments

— □ X

**Rule Set:**

Assignment	Applies
* Everyone	Yes
W CONTOSO\Group1	No
W CONTOSO\Group3	Yes
A User2@contoso.com	No

Set As Template      Move Up      Move Down      Add      Remove

0 Rule Set does apply to user/group  
 © Rule Set does not apply to user/group

AD Reporting      OK      Cancel      Apply

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

User1 can see folder C:\Folder1 on a session host. User2 can

see folder C:\Folder1 on a session host. User3 can see folder

C:\Folder1 on a session host. User4 can see folder

**Answer:**

Explanation: Statements

Yes

No

User1 can see folder C:\Folder1 on a session host

User2 can see folder C:\Folder1 on a session host

User3 can see folder C:\Folder1 on a session host

Reference:

<https://docs.microsoft.com/en-us/fslogix/application-masking-rules-ht>

<https://docs.microsoft.com/en-us/fslogix/application-masking-users-groups-ht>

### Question: 110

Your network contains an on-premises Active Directory domain named contoso.com that syncs to an Azure Active Directory (Azure AD) tenant. You have an Azure Virtual Desktop host pool named Pool1 that has the following settings:

- Host pool name- Pool 1
- Host pool type: Personal
- Number of VMs: 3

The session hosts have the following configurations:

- Image used to create the virtual machines: Windows 10 Enterprise
- Virtual machines domain-Joined to: On-premises contoso.com domain

You need to ensure that you can use Microsoft EndPoint Manager to manage security updates on the session hosts. What should you do?

- A. Create Windows 10 Enterprise multi-session images.
- B. Configure the session hosts as hybrid Azure AD-joined.
- C. Change Host pool type to Pooled and specify Load balancing algorithm as Depth-first
- D. Change Host pool type to Pooled and specify Load balancing algorithm as Breadth-first

**Answer: B**

Explanation:

### Question: 111

#### HOTSPOT

You have an Azure Virtual Desktop deployment. You are configuring the outbound firewall settings for the host pool.

Which outbound URL and outbound port should you configure to ensure that the host machines maintain Windows activation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Outbound URL:

*wvd.microsoft.us
*eh.servicebus.windows.net
gcs.prod.monitoring.core.windows.net
lms.core.windows.net

Outbound port:

80
389
443
1688

Explanation:

**Answer:**

Answer Area

**Reference:**

<https://docs.microsoft.com/en-us/azure/virtual-desktop/safe-url-list>

**Question: 112**

You have an Azure Virtual Desktop host pool.

You add a French language pack to each session host in the host pool.

Several days later, users report that English displays when they connect to Azure Virtual Desktop. After an investigation, you discover that the French language pack was removed, and the session hosts reverted to English.

You need to ensure that the French language pack is always available on the session hosts.

What should you do?

- A. Apply a Group Policy setting that blocks the cleanup of unused language packs.
- B. Apply a Group Policy setting to disable the Time & language settings.
- C. Configure the international settings on each host.
- D. Assign a default time zone on each host.

**Answer: B****Explanation:**

<https://docs.microsoft.com/en-us/windows-hardware/manufacture/desktop/languages-overview?view=windows-11#block-cleanup-of-unused-language-packs>

**Question: 113**

You have an on-premises network and an Azure subscription. The subscription contains the following:

- A virtual network
- An Azure Firewall instance
- D. a user-defined route

\* A Azure Virtual Desktop host pool

The virtual network connects to the on-premises network by using a site-to-site VPN.

You need to ensure that only users from the on-premises network can connect to the Azure Virtual Desktop managed resources in the host pool. The solution must minimize administrator effort. What should you configure?

- A. an Azure Firewall rule
- B. a conditional access policy
- C. a network security group (NSG) rule

**Answer: B**

Explanation:

### Question: 114

You have an Azure Active Directory Domain Services (Azure AD DS) managed domain named conioso.com. You create a Azure Virtual Desktop host pool named Pool1. You assign the Virtual Machine Contributor role for the Azure subscription to a user named Admin1.

You need to ensure that Admin1 can add session hosts to Pool1. The solution must use the principle of least privilege.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add Admin1 to the AAD DC Administrators group.
- B. Assign a Microsoft 365 Enterprise E3 license to Admin1.
- C. Assign Admin1 the Desktop Virtualization Session Host Operator role for Pool1.
- D. Assign Admin1 the Desktop Virtualization Host Pool Contributor role for Pool1.
- E. Generate a registration token.

**Answer: C, E**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/rbac>

### Question: 115

**HOTSPOT**

You have an Azure subscription that contains a hybrid Azure Active Directory (Azure AD) tenant and two domain-joined Azure virtual machines. The virtual machines run Windows Server 2019 and contain managed disks.

You plan to deploy an Azure Virtual Desktop host pool that will use a Storage Spaces Direct Scale-Out File Server to host user profiles.

You need to ensure that the virtual machines can host the Storage Spaces Direct deployment. The solution must meet the following requirements:

- Ensure that the user profiles are available if a single server falls.
- Minimize administrative effort.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

On each virtual machine, install H

The Failover Clustering feature  
The File Server Resource Manager role service  
The Remote Desktop Services role

Create I

An additional Azure virtual machine that runs Windows Server 2019  
An Azure NetApp Files share  
An Azure storage account Two shared disks

## Answer:

### Explanation:

On each virtual machine, install:

- ▼ The Failover Clustering feature
- The File Server Resource Manager role service
- The Remote Desktop Services role

Create:

V

- An additional Azure virtual machine that runs Windows Server 2019
- An Azure NetApp Files share
- An Azure storage account
- Two shared disks

### Reference:

<https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/deploy-storage-spaces-direct>

## Question: 116

You have a Azure Virtual Desktop host pool named Pool1 that is integrated with an Azure Active Directory Domain Services (Azure AD DS) managed domain.

You need to configure idle session timeout settings for users that connect to the session hosts in Pool 1.

Solution: From the Azure portal you modify the Advanced settings in the RDP Properties of Pool1. Does This meet the goal?

- A. Yes
- B. No

## Answer: B

Explanation:

## Question: 117

You have a Azure Virtual Desktop host pool that contains live session hosts. The session hosts run Windows 10 Enterprise multi-session.

You need to prevent users from accessing the internet from Azure Virtual Desktop sessions. The session hosts must be allowed to access all the required Microsoft services.

Solution: You configure the RDP Properties of the host pool.

Does This meet the goal?

- A. Yes
- B. No

**Answer: B**

Explanation:

### Question: 118

#### HOTSPOT

You have an on-premises network.

All users have computers that run Windows 10 Pro.

You plan to deploy Azure Virtual Desktop to meet the department requirements shown in the following table.

Department	Requirement
Research	Run an application that can run only on Windows Server The application will be published as a RemoteApp
Finance	Run Windows 10 Enterprise multi-session.

You need to recommend licenses for the departments. The solution must minimize costs.

Which license should you recommend for each department? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Research:

- Microsoft 365 Enterprise E3 license
- Windows 10 Enterprise E3 license
- Windows Server client access license (CAL)
- Windows Server Remote Desktop Services client access license (RDS CAL)

Finance:

- Microsoft 365 Enterprise E3 license
- Windows 10 Enterprise E3 license
- Windows Server client access license (CAL)

Windows Server Remote Desktop Services client access license (RDS CAL)

## Answer:

### Explanation:

#### Research:

Microsoft 365 Enterprise E3 license

Windows 10 Enterprise E3 license

Windows Server client access license (CAL)

Windows Server Remote Desktop Services client access license (RDS CAL)

#### Finance:

Microsoft 365 Enterprise E3 license

Windows 10 Enterprise E3 license

Windows Server client access license (CAL)

Windows Server Remote Desktop Services client access license (RDS CAL)

### Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/windows-10-multisession-faq>

<https://azure.microsoft.com/en-us/pricing/details/virtual-desktop/#pricing>

## Question: 119

Your network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant. The domain contains the domain controllers shown in the following table.

Name	Network location	IP address	Configuration
Server1	On-premises datacenter	10.10.1.1	Domain controller, DNS server
Server2	Azure virtual network named VNET1	10.20.1.1	Domain controller, DNS server

The DNS servers are configured to forward requests to an external DNS service.

You create a new virtual network named VNET2 that is peered to VNET1 and has gateway transit enabled.

You plan to implement an Azure Virtual Desktop host pool in VNET2. The session hosts will be joined to the Active Directory domain.

You need to configure DNS to meet the following requirements:

Ensure that Azure Virtual Desktop users can resolve on-premises servers and Azure resources.

Ensure that Azure Virtual Desktop remains operational if a DNS server fails.

Minimize administrative effort.

What should you configure?

- A. the DNS settings of VNET2 to use Server2 and Served
- B. the DNS settings of VNET2 to use the Azure DNS service
- C. the DNS settings of the virtual machines to use Server2 and Server1
- D. the DNS settings of the virtual machines to use the Azure DNS service

**Answer: C**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-name-resolution-for-vms-and-role-instances#name-resolution-that-uses-your-own-dns-server>

## Question: 120

Your network contains an on-premises Active Directory domain named contoso.com that syncs to an Azure Active Directory (Azure AD) tenant.

You have an Azure Virtual Desktop host pool named Pool1 that has the following settings:

Host pool name: Pool1

Host pool type: Personal

Load balancing algorithm: Breadth-first

Number of VMs: 3

The session hosts have the following configurations:

Image used to create the virtual machines: Windows 10 Enterprise

Virtual machines domain-joined to: On-premises contoso.com domain

You need to ensure that you can use Microsoft EndPoint Manager to manage security update on the session hosts.

What should you do?

- A. Create Windows 10 Enterprise multi-session images
- B. Configure the session hosts as hybrid Azure AD-

- joined C. Change Host pool type to Pooled
- D. Change Load balancing algorithm to Depth-first

**Answer: B**

**Explanation:**

By configuring the session hosts as hybrid Azure AD-joined, you can use Microsoft EndPoint Manager to manage security updates on the session hosts. Hybrid Azure AD join is a feature that allows devices to be joined to both on-premises Active Directory and Azure AD. This enables device management scenarios such as remote wipe, device compliance, and conditional access. Once the session hosts are hybrid Azure AD-joined, you can use Microsoft EndPoint Manager to manage security updates on the session hosts.

**Question: 121**

You have an Azure subscription that contains the resources shown in the following table.

Name	Description
AVDVM-0	A virtual machine used in a pooled virtual machine set
share1	An Azure file share that stores FSLogix profile containers
Image1	A custom Windows 10 image in a shared image gallery
Image2	A custom Windows Server 2019 image stored in Azure Blob storage

You create a recovery services vault named Vault1.

Which resources can you back up using Azure Backup to Vault1?

- A. AVDVM-0 only
- B. AVDVM-0 and share1 only
- C. AVDVM-0, Image1 and Image2 only
- D. AVDVM-0, share1 and Image1 only
- E. AVDVM-0, share1, Image1 and Image2

**Answer: B**

**Explanation:**

<https://docs.microsoft.com/en-us/azure/backup/backup-overview#what-can-i-back-up> Operational backup of blobs is a local backup solution. So the backup data isn't transferred to the Backup vault

## Question: 122

You have an Azure Active Directory Domain Services (Azure AD D5) domain named contoso.com.

You have an Azure Storage account named storage1. Storage1 hosts a file share named share1 that has share and file system permissions configured. Share1 is configured to use contoso.com for authentication,

You create an Azure Virtual Desktop host pool named Pool1. Pool1 contains two session hosts that use the Windows 10 multi-session + Microsoft 365 Apps image.

You need to configure an FSLogix profile container for Pool1.

What should you do next?

- A. Generate a shared access signature (SAS) key for storage1.
- B. Install the FSLogix agent on the session hosts of Pool1.
- C. From storage1, set Allow shared key access to Disabled.
- D. Configure the Profiles setting for the session hosts of Pool1.

**Answer: B**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-host-pools-user-profile>

## Question: 123

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Virtual Desktop host pool that runs Windows 10 Enterprise multi-session.

User sessions are load-balanced between the session hosts. Idle session timeout is 30 minutes.

You plan to shut down a session host named Host1 to perform routine maintenance.

You need to prevent new user sessions to Host1 without disconnecting active user sessions.

Solution: From the properties of the virtual machine of Host1, you configure the Auto-shutdown settings.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/drain-mode>

## Question: 124

DRAG DROP

You have an Azure subscription that contains the storage accounts shown in the following table.

Name	Performance	Type
storage 1	Standard	General purpose v2
storage2	Premium	BlockBlobStorage
storages	Premium	Page blobs
storage4	Premium	Filestorage

You have a custom generalized Windows 10 image.

You plan to deploy an Azure Virtual Desktop host pool that will use the custom image and FSLogix profile containers.

You need to recommend which storage accounts to use for the custom image and the profile containers. The solution must meet the following requirements:

Minimize costs to store the image.

Maximize performance of the profile containers.

Which account should you recommend for each type of content? To answer, drag the appropriate accounts to the correct content type. Each account may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

## Accounts

## Answer Area

storage 1

storage?

storages

storage4

Custom image:

Profile containers:

**Answer:**

Explanation:

Custom image:

storage2

Profile containers:

storage4

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/set-up-customize-master-image#upload-master-image-to-a-storage-account-in-azure>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/store-fslogix-profile>

### Question: 125

You have an Azure storage account that contains the generalized Windows 10 disk images shown in the following table.

Name	Format	Disk type
Disk1	VHD	Fixed size
Disk2	VHD	Dynamically expanding
Disk3	VHDX	Fixed size
Disk4	VHDX	Dynamically expanding

You need to create an image that will be used to deploy an Azure Virtual Desktop session host.

Which disk should you use?

- A. Disk1
- B. Disk2
- C. Disk3
- D. Disk4

**Answer: A**

Explanation: Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/set-up-customize-master-image>

## Question: 126

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have the following:

- A Microsoft 365 E5 tenant
- An on-premises Active Directory domain
- A hybrid Azure Active Directory (Azure AD) tenant
- An Azure Active Directory Domain Services (Azure AD DS) managed domain
- An Azure Virtual Desktop deployment

The Azure Virtual Desktop deployment contains personal desktops that are hybrid joined to the on-premises domain and enrolled in Microsoft Intune.

You need to configure the security settings for the Microsoft Edge browsers on the personal desktops.

Solution: You configure a Group Policy Object (GPO) in the Azure AD DS managed domain.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

Explanation:

Reference:

<https://www.compete366.com/blog-posts/eight-tips-on-how-to-manage-azure-virtual-desktop-avd/>

## Question: 127

You have an Azure Virtual Desktop deployment.

You need to monitor the deployment by using the Azure Virtual Desktop Insights solution in Azure Monitor. What should you use as the Diagnostic settings destination for the host pool?

- A. Event hub

- B. Log Analytics workspace
- C. Storage account

**Answer: B**

Explanation:

**Question: 128**

**HOTSPOT**

You have an Azure subscription.

You plan to deploy an Azure Virtual Desktop solution to the East US Azure region. The solution will contain the resources shown in the following table.

Type	Name	Description
Azure storage account	storage 1	Contains a share named Profiles
Host pool	HostPoolH	Stores user profiles in the Profiles share

You need to recommend a business continuity solution that meets the following requirements:

- \* Users must be able to connect to HostPool1 if a datacenter in the East US region fails.
- \* Costs must be minimized.

What should you include in the recommendation for each resource? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

HostPool1:

	▼
Availability zones	
Azure Backup	
Azure Site Recovery	
Azure Traffic Manager	

storage1:

	▼
Geo-redundant storage (GRS)	
Geo-zone-redundant storage (GZRS)	
Locally-redundant storage (LRS)	
Zone-redundant storage (ZRS)	

**Answer:**

**Explanation:**

Availability Zones & ZRS storage.

### Question: 129

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Description
Account1	Azure NetApp Files account	Contains Cpool1
CPool1	Capacity pool	Contains Volume1
Volume1	Volume	None
AVDPool1	Azure Virtual Desktop host pool	Configured to store FSLogix user profiles in Account1

You need to ensure that users can restore files saved to their FSLogix profile.

What should you do?

- A. From the CPool1 blade in the Azure portal, create a new volume.
- B. From the Azure portal, create an Azure Backup vault and a backup policy.
- C. From the Volume1 blade in the Azure portal, create a snapshot policy.
- D. From the Azure portal, create a Recovery Services vault and a backup policy.

**Answer: C**

**Explanation:**

From the docs: Azure Files Premium tier integrates with Azure Backup and is supported in conjunction with FSLogix. Azure NetApp Files offers a similar snapshot mechanism to make copies of your FSLogix profile containers. <https://learn.microsoft.com/en-us/azure/architecture/example-scenario/wvd/windows-virtual-desktop-fslogix#backup-and-restore>

### Question: 130

**HOTSPOT**

You have an Azure Virtual Desktop deployment that contains the session hosts shown in the following table.

Name	Configuration
Host1	RDP Shortpath for managed networks is enabled
Hcst2	RDP Shortpath for managed networks is not configured.

You have the users shows in the following table.

Name	Remote Desktop client type
User1	Windows desktop
User2	Web

Users connect to Azure from the locations shown in the following table.

Name	Connection type
Location1	Site-to-Site VPN
Location2	Internet

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

### Answer Area

Statements	yes	No
RDP Shortpath is used when User2 is in Location1 and connects to Host1.	<input type="radio"/>	<input type="radio"/>
RDP Shortpath is used when User1 is in Location1 and connects to Host2.	<input checked="" type="radio"/>	<input checked="" type="radio"/>
RDP Shortpath is used when User1 is in Location2 and connects to Host1.	<input type="radio"/>	<input type="radio"/>

### Answer:

Explanation:

### Answer Area

Statements	Yes	No
RDP Shortpath is used when User2 is in Location1 and connects to Host1.	<input type="radio"/>	<input checked="" type="radio"/>
RDP Shortpath is used when User1 is in Location1 and connects to Host2.	<input type="radio"/>	<input checked="" type="radio"/>
RDP Shortpath is used when User1 is in Location2 and connects to Host1.	<input checked="" type="radio"/>	<input type="radio"/>

### Question: 131

You have an Azure subscription. The subscription contains a virtual machine named Server1 that runs Windows Server and is deployed to the West US Azure region.

You deploy a new Azure Virtual Desktop host pool named HostPool1 to the East US Azure region.

You need to ensure that all the traffic between HostPool1 and Server1 is routed via the Microsoft backbone network.

What should you use?

- A. service endpoints
- B. virtual network peering
- C. routing tables
- D. Azure Traffic Manager

**Answer: A**

Explanation:

"Virtual Network (VNet) service endpoint provides secure and direct connectivity to Azure services over an optimized route over the Azure backbone network." <https://learn.microsoft.com/en-us/azure/virtual-network/virtual-network-service-endpoints-overview>

### Question: 132

You have an Azure Virtual Desktop deployment that contains the host pools shown in the following table.

Name	Type	Location
Pool1	Windows 10 Enterprise, personal	East US
Pool2	Windows Server 2019, pooled	East US

You need to create a disaster recovery environment in the West US region. The solution must minimize costs and administrative effort.

What should you do?

- A. Regenerate the token and reregister the virtual machines in the host pools.
- B. Create two new host pools in the West US region.
- C. Run the Invoke-RdsUserSessionLogoff cmdlet.
- D. Create an Azure Site Recovery plan.

**Answer: D**

Explanation:

### Question: 133

You have an Azure Virtual Desktop deployment.

You plan to deploy Update Management to manage automated updates for server-based session hosts.

You need to configure the prerequisites for Update Management.

Which two actions should you perform? Each correct answer presents part of the solution.

**NOTE:** Each correct selection is worth one point.

- A. Create a Log Analytics workspace.
- B. Create an Azure Automation account.
- C. Create an Azure Service Health alert rule.
- D. Enable the Application Insights Agent.
- E. Configure Azure Network Watcher.

**Answer: AB**

Explanation:

<https://learn.microsoft.com/en-us/azure/architecture/hybrid/azure-update-mgmt>